

# DON'T MAKE ME THINK!

A Common Sense Approach to Web Usability

*It's a fact: People won't use your Web site if they can't find their way around it.*

Companies everywhere are staking their fortunes and their futures on their Web sites. People with little or no experience are responsible for these big-budget projects, and usability is suddenly a hot-button, bottom-line issue. *Don't Make Me Think!* is for the people in the trenches—the designers, the programmers, the webmasters, the project managers, the marketing people, and the folks who sign the checks. Krug's clearly explained, easily absorbed principles will help you arrive at both the right questions to ask the experts you hire, and practical answers so you can make difficult technical, aesthetic, and structural decisions.

When I'm working on a project that presents a user interface brainteaser, I immediately call my 'lifeline'—Steve Krug. Steve 'gets it' and has an uncanny ability to untangle the most complex problems and make it look easy in the process. However, what really makes Steve the best in the business is his gift at explaining solutions to complex problems in easy-to-understand language, enlightening the rest of us along the way.

—Robert Raines, V.P. Design, Creative Director America Online

For many years, I was certain that when Judy Garland was told to follow the Yellow Brick Road to find the Wizard of Oz, it was as clear as an instruction could be structured. Now it has been superseded by Krug's *Don't Make Me Think!* His company's name, Advanced Common Sense, accurately mirrors the empowering message of his new book. He gives to all that read it the keys to the kingdom of knowledge navigation in the current land of www.

—Richard Saul Wurman, author of *Information Anxiety*

Some books will open your mind. *Don't Make Me Think!* goes further: It will open your boss's mind (and wallet) to investing in Web site usability. And it does so quickly, gently, and with humor. So buy your boss a copy. Better yet, take advantage of the volume discount and order it for everyone who's involved in any way with your company's Web site.

—Louis Rosenfeld, author of *Information Architecture for the World Wide Web*

Category	Internet
Covers	Web Development
User Level	Beginning—Advanced

New Riders  
www.newriders.com  
www.circle.com/krugbook



\$35.00 US / \$52.95 CAN / £25.50 NET UK



DON'T MAKE ME THINK! A Common Sense Approach to Web Usability

STEVE KRUG

Steve Krug

# DON'T MAKE ME

# THINK



A Common Sense Approach to Web Usability  
FOREWORD BY ROGER BLACK



# **Don't Make Me Think!**

A COMMON SENSE APPROACH TO WEB USABILITY

STEVE KRUG



# Don't Make Me Think!

A COMMON SENSE APPROACH TO WEB USABILITY

STEVE KRUG



New Riders Publishing  
Indianapolis, Indiana USA



circle.com Circle.com Library



Don't Make Me Think! A Common Sense Approach to Web Usability

©2000 Steve Krug

All rights reserved. No part of this book shall be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without written permission from the publisher. No patent liability is assumed with respect to the use of the information contained herein. Although every precaution has been taken in the preparation of this book, the publisher and author assume no responsibility for errors or omissions. Nor is any liability assumed for damages resulting from the use of the information contained herein.

International Standard Book Number: 0-7897-2310-7

Library of Congress Catalog Card Number: 99-067196

Printed in the United States of America

First Printing: October 2000

03 02 01 4

All terms mentioned in this book that are known to be trademarks or service marks have been appropriately capitalized. New Riders Publishing cannot attest to the accuracy of this information. Use of a term in this book should not be regarded as affecting the validity of any trademark or service mark.

Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied. The information provided is on an "as is" basis. The author and the publisher shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book.

Design and production by Allison D. Cecil, Roger Black Consulting

Illustrations by Mark Matcho

The Circle.com Library is published and distributed by Pearson Technology Group. For individual, educational, corporate, or retail sales accounts, call 1-800-428-5331, or 317-581-3500. For information address New Riders Publishing, 201 West 103rd Street, Indianapolis, Indiana 46290. New Riders Publishing can be found on the Web at [www.newriders.com](http://www.newriders.com).

*To my father, who always  
wanted me to write a book,*

*My mother, who has always  
made me feel like I could,*

*Melanie, who married me—the  
greatest stroke of good fortune of my life,*

*and my son Harry, who will surely  
write books much better than this one  
whenever he wants to.*



FOREWORD	By Roger Black	vi
INTRODUCTION	<b>Read me first</b> <i>Throat clearing and disclaimers</i>	2
	<b>GUIDING PRINCIPLES</b>	
CHAPTER 1	<b>Don't make me think!</b> <i>Krug's First Law of Usability</i>	10
CHAPTER 2	<b>How we <i>really</i> use the Web</b> <i>Scanning, satisficing, and muddling through</i>	20
CHAPTER 3	<b>Billboard Design 101</b> <i>Designing pages for scanning, not reading</i>	30
CHAPTER 4	<b>Animal, vegetable, or mineral?</b> <i>Why users like mindless choices</i>	40
CHAPTER 5	<b>Omit <del>needless</del> words</b> <i>The art of not writing for the Web</i>	44
	<b>THINGS YOU NEED TO GET RIGHT</b>	
CHAPTER 6	<b>Street signs and Breadcrumbs</b> <i>Designing navigation</i>	50

CHAPTER 7	<b>The first step in recovery is admitting that the Home page is beyond your control</b> <i>Designing the Home page</i>	96
	<b>MAKING SURE YOU GOT THEM RIGHT</b>	
CHAPTER 8	<b>"The Farmer and the Cowman Should Be Friends"</b> <i>Why most Web design team arguments about usability are a waste of time, and how to avoid them</i>	130
CHAPTER 9	<b>Usability testing on 10 cents a day</b> <i>Keeping testing simple—so you do enough of it</i>	138
CHAPTER 10	<b>Usability testing: The movie</b> <i>How to do your own testing</i>	154
CHAPTER 11	<b>On not throwing the baby out with the dishes</b> <i>Interpreting test results</i>	174
	<b>Recommended reading</b>	182
	<b>Acknowledgments</b>	186
	<b>Index</b>	192



# Foreword >

## THE USABILITY EXPERT

STEVE KRUG IS BLESSED WITH A KIND OF SHORT-TERM MEMORY LOSS THAT allows him to see every Web site as if he is looking at it for the first time. It is this freshness, combined with his amazing ability to accumulate practical experience from the way real people try to use the Internet that makes this book so valuable.

Steve and I first worked together while I was a creative consultant to @Home Network in 1997. He would look over the shoulders of the designers there and make sure that they didn't fall in love with visual ideas that would confuse the customers. I asked him to join our company (which later became part of Circle.com) as an online usability shrink to help our designers and clients build clear navigation into their sites from the beginning.

Steve's approach to evaluating Web usability is not based on herding thousands of victims into usability labs and attaching electrodes to their heads to track their every thought and movement. He is more concerned with observing how real people, under normal circumstances, find (or don't find) their way around a Web site. These observations are best made in offices and homes, with real Web sites and real conditions, one on one. Steve does not have a lot of time for focus groups.

So *Don't Make Me Think!* is not about exhaustive statistics and thousands of hours of clinical trials, and tons of survey research jargon. Rather it contains sharp, empirical observations, combined with straightforward solutions to the most fundamental Internet design problems.

As Steve and I have worked together (a lifetime in Internet years), I've learned that 80 percent of the mistakes you will make in information architecture can be caught if you bring in a great usability expert from the beginning. If you want to spend more money, a panel of experts might save you another 10 percent. The rest you just have to fix when the real experts, the customers, get involved.

With this book, the price of this kind of advice has suddenly gone way down. Steve Krug's expertise is hard to come by. But now, much of it is in your hands. You've saved a lot of money already and if you can absorb what he has to say here, you will save much more.

ROGER BLACK  
OCTOBER 2000



# Read me first

THROAT CLEARING AND DISCLAIMERS

*Is this trip really necessary?*

—SLOGAN ON WORLD WAR II POSTERS ENCOURAGING GAS RATIONING

WHEN I STARTED TELLING PEOPLE THAT I WAS WRITING A BOOK ABOUT how to do what I do, they all asked the same thing: "Aren't you afraid of putting yourself out of a job?"

It's true, I have a great job.


- › People ("clients") send me proposed page designs for the new Web site they're building or the URL of the existing site that they're redesigning.



Home page design A




Home page design B



Existing site

- › I look at the designs or use the site and figure out whether they're easy enough to use (an "expert usability review"). Sometimes I pay other people to try to use the site while I watch ("usability testing").<sup>1</sup>
- › I write a report describing the problems that I found that are likely to cause users grief ("usability issues") and suggesting possible solutions.


A usability report




<sup>1</sup> ...not to be confused with "voyeurism."



› I work with the client's Web design team to help them figure out how to fix the problems.



Sometimes we work by phone...



...and sometimes in person

› They pay me.

Being a consultant, I get to work on interesting projects with a lot of nice, smart people, and when we're finished, the sites are better than when we started. I get to work at home most of the time and I don't have to sit in mind-numbing meetings every day or deal with office politics. I get to say what I think, and people usually appreciate it. And I get paid well.

Believe me, I would not lightly jeopardize this way of life.

But the reality is there are so many Web sites in need of help—and so few people who do what I do—that barring a total collapse of the Internet boom, there's very little chance of my running out of work for years.

Suddenly a lot of people with little or no previous experience have been made responsible for big-budget projects that may determine the future of their companies, and they're looking for people to tell them that they're doing it right.

Graphic designers and developers find themselves responsible for designing interfaces—things like interaction design (what happens next when the user clicks) and information architecture (how everything is organized).

And most people don't have the budget to hire a usability consultant to review their work—let alone have one around all the time.

I'm writing this book for people who can't afford to hire (or rent) someone like me. I would hope that it's also of value to people who work with a usability professional.

At the very least, I hope it can help you avoid some of the endless, circular religious Web design debates that seem to eat up so much time.

## It's not rocket surgery™

The good news is that much of what I do is just common sense, and anyone with some interest can learn to do it.

After all, usability really just means making sure that something works well: that a person of average (or even below average) ability and experience can use the thing—whether it's a Web site, a fighter jet, or a revolving door—for its intended purpose without getting hopelessly frustrated.

Like a lot of common sense, though, it's not necessarily obvious until *after* someone's pointed it out to you.<sup>2</sup>

No question: if you can afford to, hire someone like me. But if you can't, I hope this book will enable you to do it yourself (in your copious spare time).

<sup>2</sup> ...which is one reason why my consulting business (actually just me and a few well-placed mirrors) is called *Advanced Common Sense*. "It's not rocket surgery" is my corporate motto.



## Yes, it's a thin book

I've worked hard to keep this book short—hopefully short enough you can read it on a long plane ride. I did this for two reasons:

> If it's short, it's more likely to actually be used.<sup>3</sup> I'm writing for the people who are in the trenches—the designers, the developers, the site producers, the project managers, the marketing people, and the people who sign the checks, and for the one-man-band people who are doing it all themselves. Usability isn't your life's work, and you don't have time for a long book.

> You don't need to know everything. As with any field, there's a lot you *could* learn about usability. But unless you're a usability professional, there's a limit to how much is *useful* to learn.<sup>4</sup>



<sup>3</sup> There's a good usability principle right there: if something requires a large investment of time—or looks like it will—it's less likely to be used.

<sup>4</sup> I've always liked the passage in *A Study in Scarlet* where Dr. Watson is shocked to learn that Sherlock Holmes doesn't know that the earth travels around the sun. Given the finite capacity of the human brain, Holmes explains, he can't afford to have useless facts elbowing out the useful ones:

"What the deuce is it to me? You say that we go round the sun. If we went round the moon it would not make a pennyworth of difference to me or to my work."

I find that the most valuable contributions I make to each project always come from keeping just a few key usability principles in mind. I think there's a lot more leverage for most people in understanding these principles than in another laundry list of specific do's and don'ts. I've tried to boil down the few things I think everybody involved in building Web sites should know.

## Not present at time of photo

Just so you don't waste your time looking for them, here are a few things you *won't* find in this book:

- > **"The truth" about the right way to design Web sites.** I've been at this for a long time, long enough to know that there is no one "right" way to design Web sites. It's a complicated process and the real answer to most of the questions that people ask me is "It depends."<sup>5</sup> But I do think that there are a few useful guiding principles it always helps to have in mind, and those are what I'm trying to convey.
- > **Discussion of business models.** If history has taught us anything, it's that Internet business models are like buses: If you miss one, all you have to do is wait a little while and another one will come along. I'm no expert when it comes to making money on the Web, and even if I were, whatever I had to say would probably be passé by the time you read it.
- > **Predictions for the future of the Web.** Your guess is as good as mine. The only thing I'm sure of is that (a) most of the predictions I hear are almost certainly wrong, and (b) the things that will turn out to be important will come as a surprise, even though in hindsight they'll seem perfectly obvious.
- > **Bad-mouthing of poorly designed sites.** If you enjoy people poking fun at sites with obvious flaws, you're reading the wrong book. Designing, building, and maintaining a great Web site isn't easy. It's like golf: a handful of ways to get the ball in the hole, a million ways not to. Anyone who gets it even half right has my admiration.

<sup>5</sup> Jared Spool and his usability consulting cohorts at User Interface Engineering ([www.uie.com](http://www.uie.com)) even have "It depends" T-shirts.



As a result, you'll find that the sites I use as examples tend to be excellent sites with minor flaws. I think you can learn more from looking at good sites than bad ones.

- › **Examples from all kinds of sites.** Most of the examples in the book are from e-commerce sites, but the principles I'm describing apply just as well to my next-door neighbor's vanity page, your daughter's soccer team's site, or your company's intranet. Including illustrations from all the different genres would have resulted in a much larger—and less useful book.

## Who's on first?

Throughout the book, I've tried to avoid constant references to "the user" and "users." This is partly because of the tedium factor, but also to try to get you to think about your own experience as a Web user while you're reading—something most of us tend to forget when we've got our Web design hats on. This has led to the following use of pronouns in this book:

- › **"I" is me, the author.** Sometimes it's me the usability professional ("I tell my clients...") and sometimes it's me speaking as a Web user ("If I can't find a Search button..."), but it's always me.
- › **"You" is you, the reader**—someone who designs, builds, publishes, or pays the bills for a Web site.
- › **"We" ("How we really use the Web") is all Web users**, which includes "you" and "I."

I may sidestep these rules occasionally, but hopefully the context will always make it clear who I'm talking about.

## Is this trip really necessary?

I could recite some of the usual awe-inspiring statistics about how many umpteen gazillion dollars will be left on the table this year by sites that don't mind their usability P's and Q's.

But *given* that you're already holding a book about usability in your hands, you probably don't need me to tell you that usability matters. You know from your own experience as a Web user that paying attention to usability means less frustration and more satisfaction for your visitors, and a better chance that you'll see them again.

I think my wife put her finger on the essence of it better than any statistic I've seen:



If something is hard  
to use, I just  
don't use it as much.

I hope this book will help you build a better site and—if you can skip a few design arguments—maybe even get home in time for dinner once in a while.



# Don't make me think!

KRUG'S FIRST LAW OF USABILITY

*Michael, why are the drapes open?*

—KAY CORLEONE IN *THE GODFATHER, PART II*

People often ask me:

"What's the most important thing I should do if I want to make sure my Web site is easy to use?"

The answer is simple. It's not "Nothing important should ever be more than two clicks away," or "Speak the user's language," or even "Be consistent."

It's...

## "Don't make me think!"

I've been telling people for years that this is my first law of usability. And the more Web pages I look at, the more convinced I become.

It's the overriding principle—the ultimate tie breaker when deciding whether something works or doesn't in a Web design. If you have room in your head for only one usability rule, make this the one.<sup>1</sup>

It means that as far as is humanly possible, when I look at a Web page it should be self-evident. Obvious. Self-explanatory.

I should be able to "get it"—what it is and how to use it—without expending any effort thinking about it.

Just how self-evident are we talking about?

Well, self-evident enough, for instance, that your next door neighbor, who has no interest in the subject of your site and who barely knows how to use the Back button, could look at your site's Home page and say, "Oh, it's a \_\_\_\_." (With any luck, she'll say, "Oh, it's a \_\_\_\_\_. Neat." But that's another subject.)

<sup>1</sup> Actually, there is a close contender: "Get rid of half the words on each page, then get rid of half of what's left." But that one gets its own chapter later.




Think of it this way:

When I'm looking at a page that doesn't make me think, all the thought balloons over my head say things like "OK, there's the \_\_\_\_\_. And that's a \_\_\_\_\_. And there's the thing that I want."

## NOT THINKING

OK. This looks like the product categories...

Memory, Modems... There it is: Monitors. Click



...and these are today's special deals.


But when I'm looking at a page that makes me think, all the thought balloons over my head have question marks in them.

## THINKING

Hmm. Pretty busy. Where should I start?

Hmm. Why did they call it that?

Can I click on that?



Is that the navigation? Or is that it over there?

Why did they put that there?

Those two links seem like they're the same thing. Are they really?




When you're creating a site, your job is to get rid of the question marks.



## Things that make us think

All kinds of things on a Web page can make us stop and think unnecessarily. Take names of things, for example. Typical culprits are cute or clever names, marketing-induced names, company-specific names, and unfamiliar technical names.



For instance, suppose a friend tells me that XYZ Corp is looking to hire someone with my exact qualifications, so I head off to their Web site. As I scan the page for something to click, the name they've chosen for their job listings section makes a difference.

< OBVIOUS		REQUIRES THOUGHT >
<p>Jobs! <i>Click</i></p>  <p>Jobs</p>	<p>Hmm. [<i>Milliseconds of thought</i>] Jobs. <i>Click</i></p>  <p>Employment Opportunities</p>	<p>Hmm. Could be Jobs. But it sounds like more than that. Should I click or keep looking?</p>  <p>Job-o-Rama</p>

Note that these things are always on a continuum somewhere between "Obvious to everybody" and "Truly obscure," and there are always tradeoffs involved.

For instance, "Jobs" may sound too undignified for XYZ Corp, or they may be locked into "Job-o-Rama" because of some complicated internal politics, or because that's what it's always been called in their company newsletter. My main point is that the tradeoffs should usually be skewed further in the direction of "Obvious" than we care to think.

Another needless source of question marks over people's heads is links and buttons that aren't obviously clickable. As a user, I should never have to devote a millisecond of thought to whether things are clickable—or not.

< OBVIOUSLY CLICKABLE	REQUIRES THOUGHT >
<p><i>Click</i></p>  <p>Results</p>	<p>Hmm. [<i>Milliseconds of thought</i>] I guess that's a button. <i>Click</i></p>  <p>Results</p>

Hmm.  
Is that a button?

► Results

You may be thinking, "Well, it doesn't take much effort to figure out whether something's clickable. If you point the cursor at it, it'll change from an arrow to a pointing hand. What's the big deal?"

► Results

► Results

The point is, when we're using the Web every question mark adds to our cognitive workload, distracting our attention from the task at hand. The distractions may be slight but they add up, and sometimes it doesn't take much to throw us.

And as a rule, people don't like to puzzle over how to do things. The fact that the people who built the site didn't care enough to make things obvious—and easy—can erode our confidence in the site and its publishers.



Another example: On most bookstore sites, before I search for a book I first have to think about *how* I want to search.

### MOST BOOKSTORE SITES



Let's see. "Quick Search."  
That must be the same as  
"Search," right?



Do I have to click on that drop-down  
menu thing?

All I know about the book is that it's  
by Tom Clancy. Is Clancy a keyword?

(What *is* a keyword, anyway?)



I guess I have to use the menu.

*Clicks on the arrow*



"Title. Author. Keyword."

OK. I want "Author."

*Clicks "Author"*



*Types "Tom Clancy"*

*Clicks "Search"*

Granted, most of this "mental chatter" takes place in a fraction of a second, but you can see that it's a pretty noisy process. Even something as apparently innocent as jazzing up a well-known name (from "Search" to "Quick Search") can generate another question mark.

Amazon.com, on the other hand, doesn't even mention the Author-Title-Keyword distinction. They just look at what you type and do whatever makes the most sense.

### AMAZON.COM



OK. "Search books  
for \_\_\_\_\_"



*Types "Tom Clancy"*  
*Clicks "Go"*

After all, why should I have to think about *how* I want to search? And even worse, why should I have to think about how the site's search engine wants me to phrase the question, as though it were some ornery troll guarding a bridge? ("You forgot to say 'May I?'")

I could list dozens of other things that visitors to a site shouldn't spend their time thinking about, like:

- > Where am I?
- > Where should I begin?
- > Where did they put \_\_\_\_\_?
- > What are the most important things on this page?
- > Why did they call it *that*?

But the last thing you need is another checklist to add to your stack of Web design checklists. The most important thing you can do is to just understand the basic principle of eliminating question marks. If you do, you'll begin to notice all the things that make you think while you're using the Web, and eventually you'll learn to recognize and avoid them in the pages you're building.



## You can't make everything self-evident

Your goal should be for each page to be self-evident, so that just by looking at it the average user<sup>2</sup> will know what it is and how to use it.

Sometimes, though, particularly if you're doing something original or groundbreaking or something very complicated, you have to settle for *self-explanatory*. On a self-explanatory page, it takes a *little* thought to "get it"—but only a little. The appearance of things, their well-chosen names, the layout of the page, and the *small* amounts of carefully crafted text should all work together to create near-instantaneous recognition.

If you can't make a page self-evident, you at least need to make it self-explanatory.

## Why is this so important?

Oddly enough, not for the reason you usually hear cited:



On the Internet, the competition is always just one click away, so if you frustrate users they'll head somewhere else.

This is *sometimes* true, but you'd be surprised at how long some people will tough it out at sites that frustrate them. Many people who encounter problems with a site tend to blame themselves and not the site.

<sup>2</sup> The actual Average User is kept in a hermetically sealed vault at the International Bureau of Standards in Geneva. We'll get around to talking about the best way to think about the "average user" eventually.

The fact is, your site may not have been that easy to find in the first place and visitors may not know of an alternative. The prospect of starting over isn't always that attractive.

And there's also the "I've waited ten minutes for this bus already, so I may as well hang in a little longer" phenomenon. Besides, who's to say that the competition will be any less frustrating?

## So why, then?

Making pages self-evident is like having good lighting in a store: it just makes everything *seem* better. Using a site that doesn't make us think about unimportant things *feels* effortless, whereas puzzling over things that don't matter to us tends to sap our energy and enthusiasm—and time.

But as you'll see in the next chapter when we examine how we *really* use the Web, the main reason why it's important not to make me think is that most people are going to spend far less time looking at the pages we design than we'd like to think.

As a result, if Web pages are going to be effective, they have to work most of their magic at a glance. And the best way to do this is to create pages that are self-evident, or at least self-explanatory.



# How we *really* use the Web

SCANNING, SATISFICING, AND MUDDLING THROUGH

Why are things always in the last place you look for them?  
Because you stop looking when you find them.

—CHILDREN'S RIDDLE

**I**N THE PAST FIVE YEARS I'VE SPENT A LOT OF TIME WATCHING PEOPLE USE the Web, and the thing that has struck me most is the difference between how we think people use Web sites and how they actually use them.

When we're creating sites, we act as though people are going to pore over each page, reading our finely crafted text, figuring out how we've organized things, and weighing their options before deciding which link to click.

What they actually do most of the time (if we're lucky) is *glance* at each new page, scan *some* of the text, and click on the first link that catches their interest or vaguely resembles the thing they're looking for. There are usually large parts of the page that they don't even look at.

We're thinking "great literature" (or at least "product brochure"), while the user's reality is much closer to "billboard going by at 60 miles an hour."

## WHAT WE DESIGN FOR... THE REALITY...

Read

Read

Read

Read

[Pause for reflection]

Finally, click on a carefully chosen link

Look around feverishly for anything that

a) is interesting, or vaguely resembles what you're looking for, and

b) is clickable.

As soon as you find a halfway-decent match, click.

If it doesn't pan out, click the Back button and try again.



As you might imagine, it's a little more complicated than this, and it depends on the kind of page, what the user is trying to do, how much of a hurry she's in, and so on. But this simplistic view is much closer to reality than most of us imagine.

It makes sense that we picture a more rational, attentive user when we're designing pages. It's only natural to assume that everyone uses the Web the same way we do, and—like everyone else—we tend to think that our own behavior is much more orderly and sensible than it really is.

If you want to design effective Web pages, though, you have to learn to live with three facts about real-world Web use.

#### FACT OF LIFE #1:

### We don't read pages. We scan them.

One of the very few well-documented facts about Web use is that people tend to spend very little time *reading* most Web pages.<sup>1</sup> Instead, we scan (or skim) them, looking for words or phrases that catch our eye.

The exception, of course, is pages that contain documents like news stories, reports, or product descriptions. But even then, if the document is longer than a few paragraphs, we're likely to print it out because it's easier and faster to read on paper than on a screen.

Why do we scan?

- › **We're usually in a hurry.** Much of our Web use is motivated by the desire to save time. As a result, Web users tend to act like sharks: They have to keep moving, or they'll die. We just don't have the time to read any more than necessary.
- › **We know we don't need to read everything.** On most pages, we're really only interested in a fraction of what's on the page. We're just looking for the bits that match our interests or the task at hand, and the rest of it is irrelevant. Scanning is how we find the relevant bits.

<sup>1</sup> See Jakob Nielsen's October 1997 Alertbox column, "How Users Read on the Web" available at [www.useit.com](http://www.useit.com).

- › **We're good at it.** We've been scanning newspapers, magazines, and books all our lives to find the parts we're interested in, and we know that it works.

The net effect is a lot like Gary Larson's classic Far Side cartoon about the difference between what we say to dogs and what they hear. In the cartoon, the dog (named Ginger) appears to be listening intently as her owner gives her a serious talking-to about staying out of the garbage. But from the dog's point of view, all he's saying is "blah blah GINGER blah blah blah blah GINGER blah blah blah."

What we see when we look at a Web page depends on what we have in mind, but it's usually just a fraction of what's on the page.

#### WHAT DESIGNERS BUILD...



#### WHAT USERS SEE...



I want to buy a ticket.



How do I check my frequent flyer miles?

Like Ginger, we tend to focus on words and phrases that seem to match (a) the task at hand or (b) our current or ongoing personal interests. And of course, (c) the trigger words that are hardwired into our nervous systems, like "Free," "Sale," and "Sex," and our own name.



## FACT OF LIFE #2:

**We don't make optimal choices. We satisfice.**

When we're designing pages, we tend to assume that users will scan the page, consider all of the available options, and choose the best one.

In reality, though, most of the time we *don't* choose the best option—we choose the *first reasonable option*, a strategy known as satisficing.<sup>2</sup> As soon as we find a link that seems like it might lead to what we're looking for, there's a very good chance that we'll click it.

I'd observed this behavior for years, but its significance wasn't really clear to me until I read Gary Klein's book *Sources of Power: How People Make Decisions*.<sup>3</sup> Klein has spent 15 years studying naturalistic decision making: how people like firefighters, pilots, chessmasters, and nuclear power plant operators make high-stakes decisions in real settings with time pressure, vague goals, limited information, and changing conditions.

Klein's team of observers went into their first study (of field commanders at fire scenes) with the generally accepted model of rational decision making: Faced with a problem, a person gathers information, identifies the possible solutions, and chooses the best one. They started with the hypothesis that because of the high stakes and extreme time pressure, fire captains would be able to compare only two options, an assumption they thought was conservative. As it turned out, the fire commanders didn't compare *any* options. They took the first reasonable plan

that came to mind and did a quick mental test for problems. If they didn't find any, they had their plan of action.

So why don't Web users look for the best choice?

- › **We're usually in a hurry.** And as Klein points out, "Optimizing is hard, and it takes a long time. Satisficing is more efficient."
- › **There's not much of a penalty for guessing wrong.** Unlike firefighting, the penalty for guessing wrong on a Web site is usually only a click or two of the Back button, making satisficing an effective strategy. Of course, this assumes that pages load quickly; when they don't, we have to make our choices more carefully—just one of the many reasons why most Web users don't like slow-loading pages.
- › **Weighing options may not improve our chances.** On poorly designed sites, putting effort into making the best choice doesn't really help. You're usually better off going with your first guess and using the Back button if it doesn't work out.
- › **Guessing is more fun.** It's less work than weighing options, and if you guess right, it's faster. And it introduces an element of chance—the pleasant possibility of running into something surprising and good.

Of course, this is not to say that users never weigh options before they click. It depends on things like their frame of mind, how pressed they are for time, and how much confidence they have in the site.

<sup>2</sup> Economist Herbert Simon coined the term (a cross between satisfying and sufficing) in *Models of Man: Social and Rational* (Wiley, 1957).

<sup>3</sup> The MIT Press, 1998.



## FACT OF LIFE #3:

## We don't figure out how things work. We muddle through.

One of the things that becomes obvious as soon as you do any usability testing—whether you're testing Web sites, software, or household appliances—is the extent to which people use things all the time without understanding how they work, or with completely wrong-headed ideas about how they work.


Faced with any sort of technology, very few people take the time to read instructions. Instead, we forge ahead and muddle through, making up our own vaguely plausible stories about what we're doing and why it works.

It often reminds me of the scene at the end of *The Prince and the Pauper* where the real prince discovers that the look-alike pauper has been using the Great Seal of England as a nutcracker in his absence. (It makes perfect sense—to him, the seal is just this great big, heavy chunk of metal.)

And the fact is, we get things done that way. I've seen lots of people use software and Web sites effectively in ways that are nothing like what the designers intended.



My favorite example is the people (and I've seen at least a dozen of them myself) who will type a site's entire URL in the Yahoo search box every time they want to go there—not just to find the site for the first time, but *every time* they want to go there, sometimes several times a day. If you ask them about it, it becomes clear that some of them think that Yahoo is the Internet, and that this is the way you use it.<sup>4</sup>



Most Web designers would be shocked if they knew how many people type URLs in Yahoo's search box.

And muddling through is not limited to beginners. Even technically savvy users often have surprising gaps in their understanding of how things work. (I wouldn't be surprised if even Bill Gates has some bits of technology in his life that he uses by muddling through.)

<sup>4</sup> In the same vein, I've encountered many AOL users who clearly think that AOL is the Internet—good news for Yahoo and AOL.



Why does this happen?

- **It's not important to us.** For most of us, it doesn't matter to us whether we understand how things work, as long as we can use them. It's not for lack of intelligence, but for lack of caring. In the great scheme of things, it's just not important to us.<sup>5</sup>
- **If we find something that works, we stick to it.** Once we find something that works—no matter how badly—we tend not to look for a better way. We'll use a better way if we stumble across one, but we seldom look for one.

It's always interesting to watch Web designers and developers observe their first usability test. The first time they see a user click on something completely inappropriate, they're surprised. (For instance, when the user ignores a nice big fat "Software" button in the navigation bar, saying something like, "Well, I'm looking for software, so I guess I'd click here on 'Cheap Stuff' because cheap is always good.") The user may even find what he's looking for eventually, but by then the people watching don't know whether to be happy or not.

The second time it happens, they're yelling "Just click on 'Software'!" The third time you can see them thinking: "Why are we even bothering?"

And it's a good question: If people manage to muddle through so much, does it really matter whether they "get it"? The answer is that it matters a great deal because while muddling through may work sometimes, it tends to be inefficient and error-prone.

<sup>5</sup> Web developers often have a particularly hard time understanding—or even believing—that people might feel this way, since they themselves are usually keenly interested in how things work.

On the other hand, if users "get it":

- There's a much better chance that they'll find what they're looking for, which is good for them and for you.
- There's a better chance that they'll understand the full range of what your site has to offer—not just the parts that they stumble across.
- You have a better chance of steering them to the parts of your site that you want them to see.
- They'll feel smarter and more in control when they're using your site, which will bring them back. You can get away with a site that people muddle through only until someone builds one down the street that makes them feel smart.

## If life gives you lemons...

By now you may be thinking (given this less than rosy picture of the Web audience and how they use the Web), "Why don't I just get a job at the local 7-11? At least there my efforts *might* be appreciated."

So, what's a girl to do?

I think the answer is simple: If your audience is going to act like you're designing billboards, then design great billboards.



# Billboard Design 101

DESIGNING PAGES FOR SCANNING, NOT READING

*If you | Don't know | Whose signs | These are  
You can't have | Driven very far | Burma-Shave*

—SEQUENCE OF BILLBOARDS PROMOTING SHAVING CREAM, CIRCA 1935

FACED WITH THE FACT THAT YOUR USERS ARE WHIZZING BY, THERE ARE five important things you can do to make sure they see—and understand—as much of your site as possible:

- › Create a clear visual hierarchy on each page
- › Take advantage of conventions
- › Break pages up into clearly defined areas
- › Make it obvious what's clickable
- › Minimize noise.

## Create a clear visual hierarchy

One of the best ways to make a page easy to grasp in a hurry is to make sure that the *appearance* of the things on the page—all of the visual cues—clearly and accurately portray the *relationships* between the things on the page: which things are related, and which things are part of other things. In other words, each page should have a clear visual hierarchy.

Pages with a clear visual hierarchy have three traits:

- › The more important something is, the more prominent it is. For instance, the most important headings are either larger, bolder, in a distinctive color, set off by more white space, or nearer the top of the page—or some combination of the above.


**Very important**

A little less important


Nowhere near as important



- › Things that are related logically are also related visually. For instance, you can show that things are similar by grouping them together under a heading, displaying them in a similar visual style, or putting them all in a clearly defined area.



- › Things are “nested” visually to show what’s part of what. For instance, a section heading (“Computer Books”) would appear above the title of a particular book, visually encompassing the whole content area of the page, because the book is part of the section. And the title in turn would span the elements that describe the book.



There’s nothing new about visual hierarchies. Every newspaper page, for instance, uses prominence, grouping, and nesting to give us useful information about the contents of the page before we read a word. *This* picture goes with *this* story because they’re both spanned by *this* headline. *This* story is the most important because it has the biggest headline, the widest column, and a prominent position on the page.

The headline spanning these three columns makes it obvious that they’re all part of the same story.



The size of this headline makes it clear at a glance that this is the most important story.

We all parse visual hierarchies—online and on paper—every day, but it happens so quickly that the only time we’re even vaguely aware that we’re doing it is when we *can’t* do it—when the visual cues (or absence of them) force us to think.


A good visual hierarchy saves us work by preprocessing the page for us, organizing and prioritizing its contents in a way that we can grasp almost instantly.

But when a page doesn’t have a clear visual hierarchy—if everything looks equally important, for instance—we’re reduced to the much slower process of scanning the page for revealing words and phrases, and then trying to form our own sense of what’s important and how things are organized. It’s a lot more work.

Besides, we want editorial guidance in Web sites, the same way we want it in other media. The publisher knows better than anyone which pieces of the site’s content are most important, valuable, or popular, so why not identify them for me and save me the trouble?

Parsing a page with a visual hierarchy that’s even slightly flawed—where a heading spans things that aren’t part of it, for instance—is like reading a carelessly constructed sentence (“Bill put the cat on the table for a minute because it was a little wobbly.”).

Even though we can usually figure out what the sentence is supposed to mean, it still throws us momentarily and forces us to think when we shouldn’t have to.



This flawed visual hierarchy suggests that all of the sections of the site are part of the Computer Books section.



## Conventions are your friends

At some point in our youth, without ever being taught, we all learned to read a newspaper. Not the words, but the conventions.

We learned, for instance, that a phrase in very large type is usually a headline that summarizes the story underneath it, and that text underneath a picture is either a caption that tells me what it's a picture of, or—if it's in very small type—a photo credit that tells me who took the picture.

We learned that knowing the various conventions of page layout and formatting made it easier and faster to scan a newspaper and find the stories we were interested in. And when we started traveling to other cities, we learned that all newspapers used the same conventions (with slight variations), so knowing the conventions made it easy to read *any* newspaper.

Every publishing medium develops conventions and continues to refine them and develop new ones over time.<sup>1</sup> The Web already has a lot of them, mostly derived from newspaper and magazine conventions, and new ones will continue to appear.

All conventions start life as somebody's bright idea. If the idea works well enough, other sites imitate it and eventually enough people have seen it in enough places that it needs no explanation. This adoption process takes time, but it happens pretty quickly on the Internet, like everything else. For instance, enough people are now familiar with the convention of using a metaphorical shopping cart on e-commerce sites that it's safe for designers to use a shopping cart icon without labeling it "Shopping cart."


<sup>1</sup> Consider the small semitransparent logos that began appearing in the corner of your TV screen a few years ago to tell you which network you're watching. They're everywhere now, but TV had been around for 50 years before they appeared at all.

There are two important things to know about Web conventions:

- ▶ They're very useful. As a rule, conventions only become conventions if they work. Well-applied conventions make it easier for users to go from site to site without expending a lot of effort figuring out how things work.

There's a reassuring sense of familiarity, for instance, in seeing a list of links to the sections of a site on a colored background down the left side of the page, even if it's sometimes accompanied by a tedious sense of déjà vu.

- ▶ Designers are often reluctant to take advantage of them. Faced with the prospect of using a convention, there's a great temptation for designers to reinvent the wheel instead, largely because they feel (not incorrectly) that they've been hired to do something new and different, and not the same old thing. (Not to mention the fact that praise from peers, awards, and high-profile job offers are rarely based on criteria like "best use of conventions.")




Conventions enable users to figure out a lot about a Web page, even if they can't understand a word of it.



Sometimes time spent reinventing the wheel results in a revolutionary new rolling device. But sometimes it just amounts to time spent reinventing the wheel.

If you're not going to use an existing Web convention, you need to be sure that what you're replacing it with either (a) is so clear and self-explanatory that there's no learning curve—so it's as good as a convention, or (b) adds so much value that it's worth a small learning curve. If you're going to innovate, you have to understand the value of what you're replacing, and many designers tend to underestimate just how much value conventions provide.



My recommendation: Innovate when you *know* you have a better idea (and everyone you show it to says “Wow!”), but take advantage of conventions when you don’t.

## Break up pages into clearly defined areas

Ideally, users should be able to play a version of Dick Clark’s old game show *\$25,000 Pyramid* with any well-designed Web page.<sup>2</sup> Glancing around, they should be able to point at the different areas of the page and say, “Things I can do on this site!” “Links to today’s top stories!” “Products this company sells!” “Things they’re eager to sell me!” “Navigation to get to the rest of the site!”

Dividing the page into clearly defined areas is important because it allows users to decide quickly which areas of the page to focus on and which areas they can safely

ignore. Several of the initial eye-tracking studies of Web page scanning suggest that users decide very quickly which parts of the page are likely to have useful information and then almost never look at the other parts—almost as though they weren’t there.

## Make it obvious what’s clickable

Since a large part of what people are doing on the Web is looking for the next thing to click, it’s important to make it obvious what’s clickable and what’s not.

For example, on Senator Orrin Hatch’s Home page<sup>3</sup> during his unsuccessful 2000 presidential bid, it wasn’t clear whether everything was clickable, or nothing was. There were 18 links on the page, but only two of them invited you to click by their appearance: a large button labeled “Click here to CONTRIBUTE!” and an underlined text link (“FULL STORY”).

The rest of the links were colored text. But the problem was that *all* of the text on the page was in color, so there was no way to distinguish the links at a glance.

It’s not a disastrous flaw. I’m sure it didn’t take most users long to just start clicking on things. But when you force users to think about something that should be mindless like what’s clickable, you’re squandering the limited reservoir of patience and goodwill that each user brings to a new site.




www.orrinhatch.com

<sup>2</sup> Given a category like “Things a plumber uses,” contestants would have to get their partners to guess the category by giving examples (“a wrench, a pipe cutter, pants that won’t stay up...”).

<sup>3</sup> Orrin Hatch deserves at least a footnote in usability history, since he was—to the best of my knowledge—the first presidential candidate to make Web usability a campaign issue. In the first televised Republican candidates’ debate of the 2000 campaign, he told George W. Bush, “I have to say, Governor, in contrast to [your Web site], it’s easy to find everything on mine. [Chuckles.] It’s pretty tough to use yours! Yours is not user-friendly.” (His site was easier to use.)




One of my other favorite examples is the search box at drkoop.com (C. Everett Koop's health site).



Every time I use it, it makes me think, because the button that executes the search just doesn't look like a button—in spite of the fact that it has two terrific visual cues: It contains the word “SEARCH,” which is one of the two perfect labels for a search box button,<sup>4</sup> and it's the only thing near the search box.

It even has a little triangular arrow graphic, which is one of the Web's conventional “Click here” indicators. But the arrow is pointing *away* from the text, as though it's pointing at something else, while the convention calls for it to be pointing *toward* the clickable text.

Moving the arrow to the left would be enough to get rid of the question mark over my head.



## Keep the noise down to a dull roar

One of the great enemies of easy-to-grasp pages is visual noise. There are really two kinds of noise:


- › **Busy-ness.** Some Web pages give me the same feeling I get when I'm wading through my letter from Publisher's Clearing House trying to figure out which sticker I have to attach to the form to enter without accidentally subscribing to any magazines.

When everything on the page is clamoring for my attention the effect can be overwhelming: Lots of invitations to buy! Lots of exclamation points and bright colors! A lot of shouting going on!


- › **Background noise.** Some pages are like being at a cocktail party; no one source of noise is loud enough to be distracting by itself, but there are a lot of tiny bits of visual noise that wear us down.

<sup>4</sup> “Go” is the other one, but only if you also use the word “Search” as a label for the box.


For instance, MSNBC's menus are a powerful and slick navigation device that let users get to any story in the site quickly. But the lines between items add a lot of noise. Graying the lines would make the menus much easier to scan.



www.msnbc.com



Before



After

Users have varying tolerances for complexity and distractions; some people have no problem with busy pages and background noise, but many do. When you're designing Web pages, it's probably a good idea to assume that *everything* is visual noise until proven otherwise.



# Animal, vegetable or mineral?

WHY USERS LIKE MINDLESS CHOICES

*It doesn't matter how many times I have to click, as long as each click is a mindless, unambiguous choice.*

—KRUG'S SECOND LAW OF USABILITY

WEB DESIGNERS AND USABILITY PROFESSIONALS HAVE SPENT A LOT of time over the years debating how many times you can expect users to click to get what they want without getting too frustrated.<sup>1</sup> Some sites even have design rules stating that it should never take more than a specified number of clicks (usually three, four, or five) to get to any page in the site.

On the face of it, “number of clicks to get anywhere” seems like a useful criteria. But over time I’ve come to think that what really counts is not the number of clicks it takes me to get to what I want (although there are limits), but rather how *hard* each click is—the amount of thought required, and the amount of uncertainty about whether I’m making the right choice.

In general, I think it’s safe to say that users don’t mind a lot of clicks as long as each click is painless and they have continued confidence that they’re on the right track. I think the rule of thumb might be something like “three mindless, unambiguous clicks equal one click that requires thought.”<sup>2</sup>

The classic first question in the word game Twenty Questions—“Animal, vegetable, or mineral?”—is a wonderful example of a mindless choice. As long as you accept the premise that anything that’s not a plant or an animal—including things as

<sup>1</sup> It’s actually just one part of a much broader debate about the relative merits of wide versus deep site hierarchies. A wide site is broken into more categories at each level but has fewer levels, so it takes fewer clicks to get to the bottom. A deep site has more levels and requires more clicks, but there are fewer options to consider at each level.

<sup>2</sup> Of course, there are exceptions. If I’m going to have to drill down through the same parts of a site repeatedly, for instance, or if the pages are going to take a long time to load, then the value of fewer clicks increases.



diverse as pianos, limericks, and encyclopedias, for instance—falls under “mineral,” it requires no thought at all to answer the question correctly.<sup>3</sup>

Unfortunately, most choices on the Web aren’t as clear.

For instance, if I go to Symantec’s Virus Updates page because I want to update my copy of Norton AntiVirus, I’m faced with two choices I have to make before I can continue.

One of the choices, Language, is relatively painless. It takes only a tiny bit of thought for me to conclude that “English, US” means “United States English,” as opposed to “English, UK.”

If I bothered to click on the pulldown menu, though, I’d realize that I was actually just muddling through, since there is no “English, UK” on the list.

I’d also probably be a little puzzled by “Español (English, Int’l)” but I wouldn’t lose any sleep over it.

The other choice, Product, is a bit dicier, however.

The problem is that it refers to “NAV for Windows 95/98.” Now, I’m sure that it’s perfectly clear to everyone who works at Symantec that NAV and “Norton AntiVirus” are the same, but it requires at least a small leap of faith on my part.

And even though I know for certain that I’m using Windows 98, there’s at least the tiniest question in my mind whether that’s exactly the same as “Windows 95/98.” Maybe there is something called “Windows 95/98” that I just don’t know about.

<sup>3</sup> In case you’ve forgotten the game, there’s an excellent version that you can play against on the Web at <http://207.236.3.210/avm.html>. Created by Robin Burgener, it uses a neural net algorithm and plays a mean game.

Another example: When I’m trying to buy a product or service to use in my home office, I often encounter sites that ask me to make a choice like...

[Home](#)  
[Office](#)

Which one is me? It’s the same way I feel when I’m standing in front of two mailboxes labeled Stamped Mail and Metered Mail with a business reply card in my hand. What do *they* think it is—stamped or metered? And what happens if I drop it in the wrong box?

The point is, we face choices all the time on the Web and making the choices mindless is one of the main things that make a site easy to use.



# Omit ~~needless~~ words

THE ART OF NOT WRITING FOR THE WEB

*Get rid of half the words on each page,  
then get rid of half of what's left.*

—KRUG'S THIRD LAW OF USABILITY

OF THE FIVE OR SIX THINGS THAT I LEARNED IN COLLEGE, THE one that has stuck with me the longest—and benefited me the most—is E. B. White's seventeenth rule in *The Elements of Style*:

## 17. Omit needless words.

Vigorous writing is concise. A sentence should contain no unnecessary words, a paragraph no unnecessary sentences, for the same reason that a drawing should have no unnecessary lines and a machine no unnecessary parts.<sup>1</sup>

When I look at most Web pages, I'm struck by the fact that most of the words I see are just taking up space, because no one is ever going to read them. And just by being there, all the extra words suggest that you may actually *need* to read them to understand what's going on, which often makes pages seem more daunting than they actually are.

My Third Law probably sounds excessive, because it's meant to. Removing half of the words is actually a realistic goal; I find I have no trouble getting rid of half the words on most Web pages without losing anything of value. But the idea of removing half of what's left is just my way of trying to encourage people to be ruthless about it.

Getting rid of all those words that no one is going to read has several beneficial effects:

- › It reduces the noise level of the page.
- › It makes the useful content more prominent.
- › It makes the pages shorter, allowing users to see more of each page at a glance without scrolling.

I'm not suggesting that the articles at Salon.com should be shorter than they are. I'm really talking about two specific kinds of writing: happy talk and instructions.

<sup>1</sup> William Strunk, Jr., and E. B. White, *The Elements of Style* (Allyn and Bacon, 1979).



## Happy talk must die

We all know happy talk when we see it: it's the introductory text that's supposed to welcome us to the site and tell us how great it is, or to tell us what we're about to see in the section we've just entered.

If you're not sure whether something is happy talk, there's one sure-fire test: if you listen very closely while you're reading it, you can actually hear a tiny voice in the back of your head saying, "Blah blah blah blah blah...."

A lot of happy talk is the kind of self-congratulatory promotional writing that you find in badly written brochures. Unlike good promotional copy, it conveys no useful information, and it focuses on saying how great we are, as opposed to delineating what makes us great.

Although happy talk is sometimes found on Home pages—usually in paragraphs that start with the words "Welcome to..."—its favored habitat is the front pages of the sections of a site ("section fronts"). Since these pages are often just a table of contents with no real content of their own, there's a temptation to fill them with happy talk. Unfortunately, the effect is as if a book publisher felt obligated to add a paragraph to the table of contents page saying, "This book contains many interesting chapters about \_\_\_\_\_. \_\_\_\_\_, and \_\_\_\_\_. We hope you enjoy them."

Happy talk is like small talk—content free, basically just a way to be sociable. But most Web users don't have time for small talk; they want to get right to the beef. You can—and should—eliminate as much happy talk as possible.

## Instructions must die

The other major source of needless words is instructions. The main thing you need to know about instructions is that no one is going to read them—at least not until after repeated attempts at "muddling through" have failed. And even then, if the instructions are wordy, the odds of users finding the information they need is pretty low.

Your objective should always be to eliminate instructions entirely by making everything self-explanatory, or as close to it as possible. When instructions are absolutely necessary, cut them back to the bare minimum.

For example, when I click on Site Survey at the Verizon site, I get an entire screen full of instructions to read.

www.verizon.com

I think some aggressive pruning makes them much more useful:



**BEFORE: 103 WORDS**

The following questionnaire is designed to provide us with information that will help us improve the site and make it more relevant to your needs.

Please select your answers from the drop-down menus and radio buttons below.

The questionnaire should only take you 2-3 minutes to complete.

At the bottom of this form you can choose to leave your name, address, and telephone number. If you leave your name and number, you may be contacted in the future to participate in a survey to help us improve this site.

If you have comments or concerns that require a response please contact Customer Service.

The first sentence is just introductory happy talk. I know what a survey is for; all I need is the words "help us" to show me that they understand that I'm doing them a favor by filling it out.

Most users don't need to be told how to fill in a Web form, and the ones who do won't know what a "drop-down menu" and a "radio button" are anyway.

At this point, I'm still trying to decide whether to bother with this questionnaire, so knowing that it's short is useful information.

This instruction is of no use to me at this point. It belongs at the end of the questionnaire where I can act on it. As it is, its only effect is to make the instructions look daunting.

The fact that I shouldn't use this form if I want an answer is useful and important information. Unfortunately, though, they don't bother telling me *how* I contact Customer Service—or better still, giving me a link so I can do it from right here.

**AFTER: 41 WORDS**

Please help us improve the site by answering these questions. It should only take you 2-3 minutes to complete this survey.

NOTE: If you have comments or concerns that require a response don't use this form. Instead, please contact [Customer Service](#).

**And now for something completely different**

In these first few chapters, I've been trying to convey some guiding principles that I think are good to have in mind when you're building a Web site.

Now we're heading into two chapters that look at how these principles apply to the two biggest and most important challenges in Web design: navigation and the Home page.

You might want to pack a lunch. They're very long chapters.



# Street signs and Breadcrumbs

DESIGNING NAVIGATION

*And you may find yourself, in a beautiful house, with a beautiful wife  
And you may ask yourself, Well...How did I get here?*

—TALKING HEADS, "ONCE IN A LIFETIME"

**I**t's a fact:

*People won't use your Web site if they can't find their way around it.*

You know this from your own experience as a Web user. If you go to a site and can't find what you're looking for or figure out how the site is organized, you're not likely to come back—or come back. So how do you create the proverbial "clear, simple, and consistent" navigation?

## Scene from a mall

**Picture this:** It's Saturday afternoon and you're headed for the mall to buy a chainsaw.

As you walk through the door at Sears, you're thinking, "Hmmm. Where do they keep chainsaws?" As soon as you're inside, you start looking at the department names, high up on the walls. (They're big enough that you can read them from all the way across the store.)



"Hmmm," you think, "Tools? Or Lawn and Garden?" Given that Sears is so heavily tool-oriented, you head in the direction of Tools.

When you reach the Tools department, you start looking at the signs at the end of each aisle.





*And you may find yourself, in a beautiful house, with a beautiful wife  
And you may ask yourself, Well...How did I get here?*

—TALKING HEADS, "ONCE IN A LIFETIME"

**I**t's a fact:


*People won't use your Web site if they can't find their way around it.*

You know this from your own experience as a Web user. If you go to a site and can't find what you're looking for or figure out how the site is organized, you're not likely to stay long—or come back. So how do you create the proverbial "clear, simple, and consistent" navigation?

## Scene from a mall


Picture this: It's Saturday afternoon and you're headed for the mall to buy a chainsaw.

As you walk through the door at Sears, you're thinking, "Hmmm. Where do they keep chainsaws?" As soon as you're inside, you start looking at the department names, high up on the walls. (They're big enough that you can read them from all the way across the store.)




"Hmmm," you think, "Tools? Or Lawn and Garden?" Given that Sears is so heavily tool-oriented, you head in the direction of Tools.

When you reach the Tools department, you start looking at the signs at the end of each aisle.






When you think you've got the right aisle, you start looking at the individual products.



If it turns out you've guessed wrong, you try another aisle, or you may back up and start over again in the Lawn and Garden department. By the time you're done, the process looks something like this:




Basically, you use the store's navigation systems (the signs and the organizing hierarchy that the signs embody) and your ability to scan shelves full of products to find what you're looking for.

Of course, the actual process is a little more complex. For one thing, as you walk in the door you usually devote a few microseconds to a crucial decision: Are you going to start by looking for chainsaws on your own or are you going to ask someone where they are?

It's a decision based on a number of variables—how familiar you are with the store, how much you trust their ability to organize things sensibly, how much of a hurry you're in, and even how sociable you are.

When we factor this decision in, the process looks something like this:




Notice that even if you start looking on your own, if things don't pan out there's a good chance that eventually you'll end up asking someone for directions anyway.



## Web Navigation 101

In many ways, you go through the same process when you enter a Web site.

- › You're usually trying to find something. In the "real" world it might be the emergency room or a can of baked beans. On the Web, it might be the cheapest 4-head VCR with Commercial Advance or the name of the actor in *Casablanca* who played the headwaiter at Rick's.<sup>1</sup>
- › You decide whether to ask first or browse first. The difference is that on a Web site there's no one standing around who can tell you where things are.<sup>2</sup> The Web equivalent of asking directions is searching—typing a description of what you're looking for in a search box and getting back a list of links to places where it *might* be.



Some people (Jakob Nielsen calls them "search-dominant" users)<sup>3</sup> will almost always look for a search box as soon as they enter a site. (These may be the same people who look for the nearest clerk as soon as they enter a store.)

<sup>1</sup> S. Z. "Cuddles" Sakall, born Eugene Sakall in Budapest in 1884. Ironically, most of the character actors who played the Nazi-hating denizens of Rick's Café were actually famous European stage and screen actors who landed in Hollywood after fleeing the Nazis.


<sup>2</sup> Some e-commerce sites (like LandsEnd.com) have started developing live personal assistance systems. These may turn out to be a good "safety net" for some users, but it's hard to picture them ever becoming a cost-effective replacement for good navigation.

<sup>3</sup> See "Search and You May Find" in Nielsen's archive of his Alertbox columns on [www.useit.com](http://www.useit.com).


Other people (Nielsen's "link-dominant" users) will almost always browse first, searching only when they've run out of likely links to click or when they have gotten sufficiently frustrated by the site.

For everyone else, the decision whether to start by browsing or searching depends on their current frame of mind, how much of a hurry they're in, and whether the site appears to have decent browsable navigation.

- › If you choose to browse, you make your way through a hierarchy, using signs to guide you. Typically, you'll look around on the Home page for a list of the site's main sections (like the store's department signs) and click on the one that seems right.



Then you'll choose from the list of subsections.



With any luck, after another click or two you'll end up with a list of the kind of thing you're looking for:


[42cc Chain Saw](#)  
[6.5hp Log Splitter](#)  
[6.75hp Mower](#)  
[Backpack Blower](#)  
[Brushcutter](#)  
[Gas Blower/Vac](#)  
[Pro 51cc Chain Saw](#)

Then you can click on the individual links to examine them in detail, the same way you'd take products off the shelf and read the labels.

- › Eventually, if you can't find what you're looking for, you'll leave. This is as true on a Web site as it is at Sears. You'll leave when you're convinced they haven't got it, or when you're just too frustrated to keep looking.



Here's what the process looks like:



## The unbearable lightness of browsing

Looking for things on a Web site and looking for them in the “real” world have a lot of similarities. When we’re exploring the Web, in some ways it even *feels* like we’re moving around in a physical space. Think of the words we use to describe the experience—like “cruising,” “browsing,” and “surfing.” And clicking a link doesn’t “load” or “display” another page—it “takes you to” a page.

But the Web experience is missing many of the cues we’ve relied on all our lives to negotiate spaces. Consider these oddities of Web space:

- **No sense of scale.** Even after we’ve used a Web site extensively, unless it’s a very small site we tend to have very little sense of how big it is (50 pages? 1,000? 17,000?). For all we know, there could be huge corners we’ve never explored. Compare this to a magazine, a museum, or a department store, where you always have at least a rough sense of the seen/unseen ratio.

The practical result is that it’s very hard to know whether you’ve seen everything of interest in a site, which means it’s hard to know when to stop looking.<sup>4</sup>

- **No sense of direction.** In a Web site, there’s no left and right, no up and down. We may talk about moving up and down, but we mean up and down in the hierarchy—to a more general or more specific level.
- **No sense of location.** In physical spaces, as we move around we accumulate knowledge about the space. We develop a sense of where things are and can take shortcuts to get to them.

<sup>4</sup> This is one reason why it’s useful for links that we’ve already clicked on to display in a different color. It gives us some small sense of how much ground we’ve covered.




We may get to the chainsaws the first time by following the signs, but the next time we're just as likely to think,


"Chainsaws? Oh, yeah, I remember where they were: right rear corner, near the refrigerators."

And then head straight to them.

### FIRST TIME



### SUBSEQUENT VISITS



But on the Web, your feet never touch the ground; instead, you make your way around by clicking on links. Click on "Power Tools" and you're suddenly teleported to the Power Tools aisle with no traversal of space, no glancing at things along the way.

When we want to return to something on a Web site, instead of relying on a *physical* sense of where it is we have to remember where it is in the conceptual hierarchy and retrace our steps.

This is one reason why bookmarks—stored personal shortcuts—are so important, and why the Back button accounts for somewhere between 30 and 40 percent of all Web clicks.<sup>5</sup>

It also explains why the concept of Home pages is so important. Home pages are—comparatively—fixed places. When you're in a site, the Home page is like the North Star. Being able to click Home gives you a fresh start.

This lack of physicality is both good and bad. On the plus side, the sense of

weightlessness can be exhilarating, and partly explains why it's so easy to lose track of time on the Web—the same as when we're "lost" in a good book.<sup>6</sup>

On the negative side, I think it explains why we use the term "Web navigation" even though we never talk about "department store navigation" or "library navigation." If you look up *navigation* in a dictionary, it's about doing two things: getting from one place to another, and figuring out where you are.

I think we talk about Web navigation because "figuring out where you are" is a much more pervasive problem on the Web than in physical spaces. We're inherently lost when we're on the Web, and we can't peek over the aisles to see where we are. Web navigation compensates for this missing sense of place by embodying the site's hierarchy, creating a sense of "there."

Navigation isn't just a *feature* of a Web site; it is the Web site, in the same way that the building, the shelves, and the cash registers are Sears. Without it, there's no *there* there.

The moral? Web navigation had better be good.

## The overlooked purposes of navigation

Two of the purposes of navigation are fairly obvious: to help us find whatever it is we're looking for, and to tell us where we are.

And we've just talked about a third:

- **It gives us something to hold on to.** As a rule, it's no fun feeling lost. (Would you rather "feel lost" or "know your way around?") Done right, navigation puts ground under our feet (even if it's virtual ground) and gives us handrails to hold on to—to make us feel grounded.

But navigation has some other equally important—and easily overlooked—functions:

- **It tells us what's here.** By making the hierarchy visible, navigation tells us what the site contains. Navigation reveals content! And revealing the site may be even more important than guiding or situating us.

<sup>5</sup> L. Catledge and J. Pitkow, "Characterizing Browsing Strategies in the World-Wide Web." In Proceedings of the Third International World Wide Web Conference, Darmstadt, Germany (1995).

<sup>6</sup> Which may be one more reason why slow-loading pages are so bothersome: What's the fun of flying if you can only go a few miles an hour?




- It tells us how to use the site. If the navigation is doing its job, it tells you implicitly where to begin and what your options are. Done correctly, it should be all the instructions you need. (Which is good, since most users will ignore any other instructions anyway.)
- It gives us confidence in the people who built it. Every moment we're in a Web site, we're keeping a mental running tally: "Do these guys know what they're doing?" It's one of the main factors we use in deciding whether to bail out and deciding whether to ever come back. Clear, well-thought-out navigation is one of the best opportunities a site has to create a good impression.

## Web navigation conventions

Physical spaces like cities and buildings (and even information spaces like books and magazines) have their own navigation systems, with conventions that have evolved over time like street signs, page numbers, and chapter titles. The conventions specify (loosely) the appearance and location of the navigation elements so we know what to look for and where to look when we need them.

Putting them in a standard place lets us locate them quickly, with a minimum of effort; standardizing their appearance makes it easy to distinguish them from everything else.


For instance, we expect to find street signs at street corners, we expect to find them by looking up (not down), and we expect them to look like street signs (horizontal, not vertical).



We also take it for granted that the name of a building will be above or next to its front door. In a grocery store, we expect to find signs near the ends of each aisle. In a magazine, we know there will be a table of contents somewhere in the first few pages and page numbers somewhere in the margin of each page—and that they'll look like a table of contents and page numbers.

Think of how frustrating it is when one of these conventions is broken (when magazines don't put page numbers on advertising pages, for instance).


Navigation conventions for the Web have emerged quickly, mostly adapted from existing print conventions. They'll continue to evolve, but for the moment these are the basic elements:





## Don't look now, but I think it's following us

Web designers use the term *persistent navigation* (or *global navigation*) to describe the set of navigation elements that appear on every page of a site.




Done right, persistent navigation should say—preferably in a calm, comforting voice:

*"The navigation is over here. Some parts will change a little depending on where you are, but it will always be here, and it will always work the same way."*

Just having the navigation appear in the same place on every page with a consistent look gives you instant confirmation that you're still in the same site—which is more important than you might think. And keeping it the same throughout the site means that (hopefully) you only have to figure out how it works once.

Persistent navigation should include the five elements you most need to have on hand at all times:



We'll look at each of them in a minute. But first...

## Did I say every page?

I lied. There are two exceptions to the "follow me everywhere" rule:

- The Home page.** The Home page is not like the other pages—it has different burdens to bear, different promises to keep. As we'll see in the next chapter, this sometimes means that it makes sense *not* to use the persistent navigation there.
- Forms.** On pages where a form needs to be filled in, the persistent navigation can sometimes be an unnecessary distraction. For instance, when I'm paying for my purchases on an e-commerce site you don't really want me to do anything but finish filling in the forms. The same is true when I'm registering, giving feedback, or checking off personalization preferences.

For these pages, it's useful to have a minimal version of the persistent navigation with just the Site ID, a link to Home, and any Utilities that might help me fill out the form.

## Now I know we're not in Kansas

The Site ID or logo is like the building name for a Web site. At Sears, I really only need to see the name on my way in; once I'm inside, I *know* I'm still in Sears until I leave. But on the Web—where my primary mode of travel is teleportation—I need to see it on every page.





In the same way that we expect to see the name of a building over the front entrance, we expect to see the Site ID at the top of the page—usually in (or at least near) the upper left corner.<sup>7</sup>

Why? Because the Site ID represents the whole site, which means it's the highest thing in the logical hierarchy of the site.

This site  
Sections of this site  
Subsections  
Sub-subsections, etc.  
This page  
Areas of this page  
Items on this page

And there are two ways to get this primacy across in the visual hierarchy of the page: either make it the most prominent thing on the page, or make it frame everything else.

Since you don't want the ID to be the most prominent element on the page (except, perhaps, on the Home page), the best place for it—the place that is least likely to make me think—is at the top, where it frames the entire page.

And in addition to being where we would expect it to be, the Site ID also needs to *look* like a Site ID. This means it should have the attributes we would expect to see in a brand logo or the sign outside a store: a distinctive typeface, and a graphic that's recognizable at any size from a button to a billboard.

University of Virginia



SEARS

priceline.com




<sup>7</sup> ...on Web pages written for left-to-right reading languages, that is. Readers of Arabic or Hebrew pages might expect the Site ID to be on the right.




www.opus.com.il

## The Sections

The Sections—sometimes called the *primary navigation*—are the links to the main sections of the site: the top level of the site's hierarchy.




In most cases, the persistent navigation will also include space to display the *secondary navigation*: the list of subsections in the current section.



## The Utilities

Utilities are the links to important elements of the site that aren't really part of the content hierarchy.



These are things that either can help me use the site (like Help, a Site Map, or a Shopping Cart) or can provide information about its publisher (like About Us and Contact Us).

Like the signs for the facilities in a store, the Utilities list should be slightly less prominent than the Sections.

### Men's Shoes

Restrooms ▶  
Telephones ▶  
Customer Service ▶  
Gift Wrapping ▶



Utilities will vary for different types of sites. For a corporate or e-commerce site, for example, they might include any of the following:

About Us	Downloads	How to Shop	Register
Archives	Directory	Jobs	Search
Checkout	Forums	My _____	Shopping Cart
Company Info	FAQs	News	Sign in
Contact Us	Help	Order Tracking	Site Map
Customer Service	Home	Press Releases	Store Locator
Discussion Boards	Investor Relations	Privacy Policy	Your Account

As a rule, the persistent navigation can accommodate only four or five Utilities—the ones users are likely to need most often. If you try to squeeze in more than that, they tend to get lost in the crowd. The less frequently used leftovers can be grouped together on the Home page.

## Just click your heels three times and say, “There’s no place like home.”

One of the most crucial items in the persistent navigation is a button or link that takes me to the site’s Home page.

Having a Home button in sight at all times offers reassurance that no matter how lost I may get, I can always start over, like pressing a Reset button or using a “Get out of jail free” card.

There’s an emerging convention that the Site ID doubles as a button that can take you to the site’s Home page. It’s a useful idea that every site should implement, but a surprising number of users still aren’t aware of it.

For now, it’s probably a good idea to either:


- › include a Home page link in either the Sections or the Utilities, or
- › add the word “Home” discreetly to the Site ID everywhere but the Home page to let people know that it’s clickable.



## A way to search

Given the potential power of searching<sup>8</sup> and the number of people who prefer searching to browsing, unless a site is very small and very well organized, every page should have either a search box or a link to a search page. And unless there’s very little reason to search your site, it should be a search box.

Keep in mind that for a large percentage of users their first official act when they reach a new site will be to scan the page for something that matches one of these three patterns:



It’s a simple formula: a box, a button, and the word “Search.” Don’t make it hard for them—stick to the formula. In particular, avoid

- › **Fancy wording.** They’ll be looking for the word “Search,” so use the word Search, not Find, Quick Find, Quick Search, or Keyword Search. (If you use “Search” as the label for the box, use the word “Go” as the button name.)
- › **Instructions.** If you stick to the formula, anyone who has used the Web for more than a few days will know what to do. Adding “Type a keyword” is like saying, “Leave a message at the beep” on your answering machine message: There was a time when it was necessary, but now it just makes you sound clueless.

<sup>8</sup> Unfortunately, I have to say “potential” because on most sites the odds of a search producing useful results are still about 50:50. Search usability is a huge subject in itself, and the best advice I can give is to pick up a copy of *Information Architecture for the World Wide Web* by Louis Rosenfeld and Peter Morville (O’Reilly, 1998) and take to heart everything they have to say about search.



- Options. If there is any possibility of confusion about the scope of the search (what's being searched: the site, part of the site, or the whole Web?), by all means spell it out.

Search  
THIS SITE

Search  
for a Book

But think very carefully before giving me options to limit the scope (to search just the current section of the site, for instance). And also be wary of providing options for how I specify what I'm searching for (search by title or by author, for instance, or search by part number or by product name).

I seldom see a case where the potential payoff for adding options to the persistent search box is worth the cost of making me figure out what the options are and whether I need to use them (i.e., making me think).

If you want to give me the option to scope the search, give it to me when it's useful—when I get to the search results page and discover that searching everything turned up far too many hits, so I *need* to limit the scope.

I think one of the primary reasons for Amazon's success is the robustness of its search. As I mentioned in Chapter 1, Amazon was one of the first online bookstores (if not *the* first) to drop the Title/Author/Keyword option from their search box and just take whatever I threw at them.

I've done several user tests of online bookstores, and left to their own devices, inevitably the first thing people did was search for a book they knew they should be able to find to see if the thing worked. And in test after test, the result was that people's first experience of Amazon was a successful search, while in sites that offered options many people were left puzzled when their search failed because they had misinterpreted their options.

And of course, if you're going to provide options, you need to make sure that they actually work.

For instance, when I went looking for the "Stinking badges" quote from *Treasure of the Sierra Madre* on the Internet Movie Database site, my search for "badges" using the default scope "All" found only one match—an old TV show.

Search → Results

Search the database for

All

**"Broken Badges" (1990)**  
[TV-Series]

Directed by  
Lee Hirsch

Complete credited cast:

Steve Cochran	... 22 "Bitter" Tugboat
Robert Forster	... Steve Jack Bowman
John Huston	... Tony Baker
Lee Hirsch	... Charles Jones
Charles Jones	... Charles Walker

But when I changed the scope to "Quotes," there it was.

Search → Results

Search the database for

Quotes

**Quote Search**

Here are the quotes containing **badges**


1. [Steve Cochran \(1990\)](#)  
Steve Cochran: I should just mention my radio operator Steve Smith got a preferred badge for "bad" badges. I do have resources in my own group.
2. [Robert Forster \(1990\)](#)  
Robert Forster: Badges? We don't need no stinking badges!
3. [John Huston \(1990\)](#)  
John Huston: The cops. They carry badges.
4. [Lee Hirsch \(1990\)](#)  
Lee Hirsch: What's your badge?
5. [Charles Jones \(1990\)](#)  
Charles Jones: We don't need no badges. We don't need no badges! I don't have to show you any stinking badges!

Care to take a guess what the effect was on my confidence in IMDB.com?



## Secondary, tertiary, and whatever comes after tertiary


It's happened so often I've come to expect it: When designers I haven't worked with before send me preliminary page designs so I can check for usability issues, I almost inevitably get a flowchart that shows a site four levels deep...




...and sample pages for the Home page and the top two levels.



Home



Section-level page



Subsection page

I keep flipping the pages looking for more, or at least for the place where they've scrawled, "Some magic happens here," but I never find even that. I think this is one of the most common problems in Web design (especially in larger sites): failing to give the lower-level navigation the same attention as the top. In so many sites, as soon as you get past the second level, the navigation breaks down and becomes *ad hoc*. The problem is so common that it's actually hard to find good examples of third-level navigation.

Why does this happen?

Partly, I think, because good multi-level navigation is just plain hard to figure out—given the limited amount of space on the page, and the number of elements that have to be squeezed in.

Partly because designers usually don't even have enough time to figure out the first two levels.

Partly because it just doesn't seem that important. (After all, how important can it be? It's not primary. It's not even secondary.) And there's a tendency to think that by the time people get that far into the site, they'll understand how it works.

And then there's the problem of getting sample content and hierarchy examples for lower-level pages. Even if designers ask, they probably won't get them, because the people responsible for the content usually haven't thought things through that far, either.

But the reality is that users usually end up spending as much time on lower-level pages as they do at the top. And unless you've worked out top-to-bottom navigation from the beginning, it's very hard to graft it on later and come up with something consistent.

The moral? It's vital to have sample pages that show the navigation for all the potential levels of the site before you start arguing about the color scheme for the Home page.


## Page names, or Why I love to drive in L.A.

If you've ever spent time in Los Angeles, you understand that it's not just a song lyric—L.A. really is a great big freeway. And because people in L.A. take driving seriously, they have the best street signs I've ever seen. In L.A.,

- > Street signs are big. When you're stopped at an intersection, you can read the sign for the next cross street.
- > They're in the right place—hanging *over* the street you're driving on, so all you have to do is glance up.



Now, I'll admit I'm a sucker for this kind of treatment because I come from Boston, where you consider yourself lucky if you can manage to read the street sign while there's still time to make the turn.



Los Angeles



Boston


The result? When I'm driving in L.A., I devote less energy and attention to dealing with where I am and more to traffic, conversation, and listening to *All Things Considered*. I love driving in L.A.

Page names are the street signs of the Web. Just as with street signs, when things are going well I may not notice page names at all. But as soon as I start to sense that I may not be headed in the right direction, I need to be able to spot the page name effortlessly so I can get my bearings.

There are four things you need to know about page names:

- **Every page needs a name.** Just as every corner should have a street sign, every page should have a name.


I'm at the corner of  
Auctions and Sell an Item.



Designers sometimes think, "Well, we've highlighted the page name in the navigation.<sup>9</sup> That's good enough." It's a tempting idea because it can save space, and it's one less element to work into the page layout, but it's not enough. You need a page name, too.

- **The name needs to be in the right place.** In the visual hierarchy of the page, the page name should appear to be framing the content that is unique to this page. (After all, that's what it's naming—not the navigation or the ads, which are just the infrastructure.)

<sup>9</sup> See "You are here" on page 74.



- **The name needs to be prominent.** You want the combination of position, size, color, and typeface to make the name say "This is the heading for the entire page." In most cases, it will be the largest text on the page.
- **The name needs to match what I clicked.** Even though nobody ever mentions it, every site makes an implicit social contract with its visitors:

*The name of the page will match the words I clicked to get there.*


In other words, if I click on a link or button that says "Hot mashed potatoes," the site will take me to a page named "Hot mashed potatoes."

It may seem trivial, but it's actually a crucial agreement. Each time a site violates it, I'm forced to think, even if only for milliseconds, "Why are those two things different?" And if there's a major discrepancy between the link name and the page name or a lot of minor discrepancies, my trust in the site—and the competence of the people who publish it—will be diminished.

## WHAT I CLICK...

Lug nuts

## WHAT I GET...



Names match. Comfort, trust, no thought required.

Names don't match. Frustration, loss of trust.




Of course, sometimes you have to compromise, usually because of space limitations. If the words I click on and the page name don't match exactly, the important thing is that (a) they match as closely as possible, and (b) the reason for the difference is obvious. For instance, at Gap.com if I click the buttons labeled "Gifts for Him" and "Gifts for Her," I get pages named "gifts for men" and "gifts for women." The wording isn't identical, but they feel so equivalent that I'm not even tempted to think about the difference.

## "You are here"

One of the ways navigation can counteract the Web's inherent "lost in space" feeling is by showing me where I am in the scheme of things, the same way that a "You are here" indicator does on the map in a shopping mall—or a National Park.



On the Web, this is accomplished by highlighting my current location in whatever navigational bars, lists, or menus appear on the page.




In this example, the current section (Women's) and subsection (Pants/Shorts) have both been "marked." There are a number of ways to make the current location stand out:

Put a pointer next to it	Change the text color	Use bold text	Reverse the button	Change the button color
Sports <b>Business</b> ▶ Entertainment Politics	Sports <b>Business</b> Entertainment Politics	Sports Business <b>Entertainment</b> Politics	<b>Sports</b> <b>Business</b> <b>Entertainment</b> <b>Politics</b>	Sports Business <b>Entertainment</b> Politics

The most common failing of "You are here" indicators is that they're too subtle. They need to stand out; if they don't, they lose their value as visual cues and end up just adding more noise to the page. One way to ensure that they stand out is to apply more than one visual distinction—for instance, a different color *and* bold text.

## Breadcrumbs

Like "You are here" indicators, Breadcrumbs show you where you are. (Sometimes they even include the words "You are here.")





They're called Breadcrumbs because they're reminiscent of the trail of crumbs Hansel dropped in the woods so he and Gretel could find their way back home.<sup>10</sup>

Unlike "You are here" indicators, which show you where you are in the context of the site's hierarchy, Breadcrumbs only show you the path from the Home page to where you are. (One shows you where you are in the overall scheme of things, the other shows you how to get there—kind of like the difference between looking at a road map and looking at a set of turn-by-turn directions. The directions can be very useful, but you can learn more from the map.)<sup>11</sup>

You could argue that bookmarks are more like the fairy tale breadcrumbs, since we drop them as we wander, in anticipation of possibly wanting to retrace our steps someday. Or you could say that visited links (links that have changed color to show that you've clicked on them) are more like breadcrumbs since they mark the paths we've taken, and if we don't revisit them soon enough, our browser (like the birds) will swallow them up.<sup>12</sup>

<sup>10</sup> In the original story, H & G's stepmother persuades their father to lose them in the forest during lean times so the whole family won't have to starve. The suspicious and resourceful H spoils the plot by dropping pebbles on the way in and following them home. But the next time(!) H is forced to use breadcrumbs instead, which prove to be a less-than-suitable substitute since birds eat them before H & G can retrace their steps. Eventually the tale devolves into attempted cannibalism, grand larceny, and immolation, but basically it's a story about how unpleasant it is to be lost.

<sup>11</sup> LookSmart.com uses a Breadcrumbs-on-steroids interface that shows you both—your current path and all the paths you didn't take at the same time.



It's a great navigation interface for LookSmart's purpose (a Web directory), but since it takes up the entire page it's not very practical for most sites.

<sup>12</sup> Visited links eventually expire and revert to their original color if you don't revisit them. The default expiration period varies from 7 to 30 days, depending on which browser you use. I wish

Until recently, Breadcrumbs were an oddity, found only in sites that were really just enormous databases with very deep hierarchies, like Yahoo's Web directory...

Home > Arts > Visual Arts > Photography > Nature and Wildlife > Photographers >

Personal Exhibits

www.yahoo.com

or grafted on to the top of very large multi-site conglomerates, like CNET...

CNET : About CNET : Editorial and Disclosure Policy

www.cnet.com

CNET : Games : Action : Unreal Tournament

www.gamecenter.com

CNET : Downloads : PC : Utilities : File & Disk Management

www.download.com

where they managed to give users some sense of where they were in the grand scheme of things while still allowing the sub-sites to keep their independent—and often incompatible—navigation schemes.

But lately they've started showing up in more and more sites, sometimes in lieu of well-thought-out navigation.

For most sites, I don't think that Breadcrumbs *alone* are a good navigation scheme. They're not a good replacement for showing at least the top two layers of the hierarchy, because they don't reveal enough. They give you a view, but it's like a view with blinders. It's not that you can't make your way around using just Breadcrumbs. It's that they're not a good way to *present* most sites.

Don't get me wrong. Done right, Breadcrumbs are self-explanatory, they don't take up much room, and they provide a convenient, consistent way to do two of the things you need to do most often: back up a level or go Home. It's just that I think

I'd thought of the imaginary-birds-eating-visited-links connection myself, but Mark Bernstein first wrote about it in 1988. I came across it in Peter Glour's book *Elements of Hypermedia Design*, which you can read for free online at [www.birkhauser.com/hypermedia](http://www.birkhauser.com/hypermedia).




they're most valuable when used as part of a balanced diet, as an accessory to a solid navigational scheme, particularly for a large site with a deep hierarchy, or if you need to tie together a nest of sub-sites.

About.com has the best Breadcrumbs implementation I know of, and it illustrates several "best practices."

➤ **Put them at the top.**


Breadcrumbs seem to work best if they're at the top of the page, above everything. I think this is probably because it literally marginalizes them—making them seem like an accessory, like page numbers in a book or magazine. When Breadcrumbs are farther down on the page they end up contending with the primary navigation. Result? It makes me think. ("Which one is the real navigation? Which one should I be using?")

➤ **Use > between levels.** Trial and error seems to have shown that the best separator between levels is the "greater than" character (>).



The colon (:) and slash (/) are workable, but > seems to be the most satisfying and self-evident—probably because it visually suggests forward motion down through the levels.

- **Use tiny type**—again, to make it clear that this is just an accessory.
- **Use the words "You are here."** Most people will understand what the Breadcrumbs are, but since it's tiny type anyway it doesn't hurt to make them self-explanatory.
- **Boldface the last item.** The last item in the list should be the name of the current page, and making it bold gives it the prominence it deserves.



www.about.com

- **Don't use them instead of a page name.** There have been a lot of attempts to make the last item in the Breadcrumbs list do double duty, eliminating the need for a separate page name. Some sites have tried making the last item in the list the largest.

CNET : Games : Action : Unreal Tournament

www.gamecenter.com

This seems like it should work, but it doesn't, probably because it fights our expectation that headings are flush left or centered, not dangling in the middle of the page at the end of a list.

## Four reasons why I love tabs

I haven't been able to prove it (yet), but I strongly suspect that Leonardo da Vinci invented tab dividers sometime in the late 15th century. As interface devices go, they're clearly a product of genius.<sup>13</sup>

Tabs are one of the very few cases where using a physical metaphor in a user interface actually works.<sup>14</sup> Like the tab dividers in a three-ring binder or tabs on folders in a file drawer, they divide whatever they're sticking out of into sections. And they make it easy to open a section by reaching for its tab (or, in the case of the Web, clicking on it).


In the past year, the idea has really caught on, and many sites have started using tabs for navigation.




<sup>13</sup> Memo to self: Check to see if Microsoft began using tabbed dialog boxes before Bill Gates bought the da Vinci notebook.

<sup>14</sup> The idea of dragging things to a trash can icon to delete them (conceived at Xerox PARC and popularized by Apple) is the only other one that springs to mind. And sadly, Apple couldn't resist muddying the metaphorical waters by using the same drag-to-trash action to eject diskettes—ultimately resulting in millions of identical thought balloons saying, "But wait. Won't that erase it?"






www.catalogcity.com



www.drugstore.com



mitsloan.mit.edu

And...


800.com  
Amazon.com  
Beyond.com  
bn.com  
Borders.com  
Buy.com  
CDNOW  
eToys.com  
Fatbrain.com  
Fidelity.com  
LandsEnd.com  
Pets.com  
Quicken.com  
Schwab.com  
Snap.com  
ToysRUs.com

I think they're an excellent navigation choice for large sites. Here's why:

- They're self-evident. I've never seen anyone—no matter how “computer illiterate”—look at a tabbed interface and say, “Hmmm. I wonder what *those* do?”
- They're hard to miss. When I do point-and-click user tests, I'm surprised at how often people can overlook button bars at the top of a Web page.<sup>15</sup> But because tabs are so visually distinctive, they're hard to overlook. And because they're hard to mistake for anything *but* navigation, they create the kind of obvious-at-a-glance division you want between navigation and content.
- They're slick. Web designers are always struggling to make pages more visually interesting without making them slow to load. If done correctly (see below), tabs can add polish *and* serve a useful purpose, all without bulking up the page size.

<sup>15</sup> I shouldn't be. I managed to use My Yahoo dozens of times before it dawned on me that the row of links at the top of the page were more sections of My Yahoo. I'd always assumed it was just one page and that the links were just more Yahoo “stuff.”

- They suggest a physical space. Tabs create the illusion that the active tab physically moves to the front.




It's a cheap trick, but effective, probably because it's based on a visual cue that we're very good at detecting (“things in front of other things”). Somehow, the result is a stronger-than-usual sense that the site is divided into sections and that you're *in* one of the sections.

## If you love Amazon so much, why don't you marry it?

As with many other good Web practices, Amazon was one of the first sites to use tab dividers for navigation, and the first to really get them right. Over time, they've continued to tweak and polish their implementation to the point where it's nearly perfect, even though they keep adding tabs as they expand into different markets.<sup>16</sup>

<sup>16</sup> In fact, after I wrote this chapter Amazon added another whole row of tabs, so currently (August 2000) it looks like this:



This latest version points to one weakness of tabs: Beyond a certain point, they don't scale as well as some other approaches (like a menu down the side of the page, for instance).

It's not clear whether this many tabs are effective, but Amazon has run live tests on their site of some other approaches, including a Home page design that abandons the tabs in favor of a Yahoo-style list, and so far they've stuck with the tabs. Besides, very few sites need more tabs than will fit in a single row.







October 1998




October 1999




Anyone thinking of using tabs should look carefully at what Amazon has done over the years, and slavishly imitate these four key attributes of their tabs:

- They're drawn correctly. For tabs to work to full effect, the graphics have to create the visual illusion that the active tab is *in front of* the other tabs. This is the main thing that makes them feel like tabs—even more than the distinctive tab shape.<sup>17</sup>

To create this illusion, the active tab needs to be a different color or contrasting shade, and it has to physically connect with the space below it. This is what makes the active tab “pop” to the front.





<sup>17</sup> Whatever you do, don't use tab-shaped graphics if they're not going to behave like tabs. The Internet Movie Database—owned by Amazon, and in some ways one of the best sites on the Web—makes this mistake.




The buttons at the top of each page look like tabs, but they act like ordinary buttons.

- They load fast. Amazon's single row of tabs required only two graphics per page, totaling less than 6k—including the logo!<sup>18</sup>

amazon.com



Some sites create tabs (or any kind of button bar, for that matter) by using a separate graphic for each button—piecing them together like a patchwork quilt. If Amazon did it this way, the 17 pieces would look like this:



This is usually done for two reasons:


- Rollovers.**<sup>19</sup> To implement rollovers in tabs or button bars, each button needs to be a separate graphic. Rollovers have merit, but in most cases I don't think they pull their weight. (More about that in the next chapter.)

<sup>18</sup> I deliberately haven't changed this example because (a) Amazon's two-row version works the same way, and (b) if you use tabs on your site you're much more likely to be implementing a single row.

<sup>19</sup> A rollover is a graphic that gets replaced by another graphic when you move the cursor over it. They can be used to highlight buttons so it's clear that they're clickable, to pop up a description of what each button is linked to, or just to add a little bit of “sizzle.”



- A misguided belief that it will be faster. The theory is that after the first page is loaded, most of the pieces will be cached on the user's hard drive,<sup>20</sup> so as the user moves from page to page the browser will only have to download the small pieces that change and not the entire site.



It's an attractive theory, but the reality is that it usually means that users end up with a longer load time on the first page they see, which is exactly where you *don't* want it.

And even if the graphics are cached, the browser still has to send a query to the server for each graphic to make sure it hasn't been updated. If the server is at all busy, the result is a visually disturbing crazy-quilt effect as the pieces load on every page.



Definitely not slick.

<sup>20</sup> When a Web page calls for a graphic, before downloading it from the site's server, the browser checks to see if the file is in its cache of recently used images, which are stored on your computer's hard drive. If it is (and it hasn't been updated on the server since you last used it), the browser loads the graphic from your hard drive instead, which can be much faster.

- They're color coded. Amazon uses a different tab color for each section of the site, and they use the same color in the other navigational elements on the page to tie them all together.

Color coding of sections is a very good idea—as long as you don't count on everyone noticing it. Some people (roughly 1 out of 200 women and 1 out of 12 men—particularly over the age of 40) simply can't detect some color distinctions because of color-blindness.

More importantly, from what I've observed, a much larger percentage (perhaps as many as half) just aren't very *aware* of color coding in any useful way.


Color is great as an additional cue, but you should never rely on it as the *only* cue.

Amazon makes a point of using fairly vivid, saturated colors that are hard to miss. And since the inactive tabs are a neutral beige, there's a lot of contrast—which even color-blind users can detect—between them and the active tab.






- › There's a tab selected when you enter the site. If there's no tab selected when I enter a site (as on Quicken.com, for instance), I lose the impact of the tabs in the crucial first few seconds, when it counts the most.



Amazon has always had a tab selected on their Home page. For a long time, it was the Books tab.



Eventually, though, as the site became increasingly less book-centric, they gave the Home page a tab of its own (labeled "Welcome").



Amazon had to create the Welcome tab so they could promote products from their other sections—not just books—on the Home page. But they did it at the risk of alienating existing customers who still think of Amazon as primarily a bookstore and hate having to click twice to get to the Books section. As usual, the interface problem is just a reflection of a deeper—and harder to solve—dilemma.

## Try the trunk test

Now that you have a feeling for all of the moving parts, you're ready to try my acid test for good Web navigation. Here's how it goes:

Imagine that you've been blindfolded and locked in the trunk of a car, then driven around for a while and dumped on a page somewhere deep in the bowels of a Web site. If the page is well designed, when your vision clears you should be able to answer these questions without hesitation:

- › What site is this? (Site ID)
- › What page am I on? (Page name)
- › What are the major sections of this site? (Sections)
- › What are my options at this level? (Local navigation)
- › Where am I in the scheme of things? ("You are here" indicators)
- › How can I search?

Why the *Goodfellas* motif? Because it's so easy to forget that the Web experience is often more like being shanghaied than following a garden path. When you're designing pages, it's tempting to think that people will reach them by starting at the Home page and following the nice, neat paths you've laid out. But the reality is that we're often dropped down in the middle of a site with no idea where we are because we've followed a link from a search engine or from another site, and we've never seen this site's navigation scheme before.

And the blindfold? You want your vision to be slightly blurry, because the true test isn't whether you can figure it out given enough time and close scrutiny. The standard needs to be that these elements pop off the page so clearly that it doesn't matter whether you're looking closely or not. You want to be relying solely on the overall appearance of things, not the details.<sup>21</sup>

<sup>21</sup> Tom Tullis of Fidelity Investments did an ingenious experiment along the same lines to evaluate the effectiveness of different page templates. He populated each template with nonsense text and asked people to identify the various elements like the page title and the site-wide navigation simply by their appearance.



Here's how you perform the trunk test:

- Step 1** Choose a page anywhere in the site at random, and print it.
- Step 2** Hold it at arm's length or squint so you can't really study it closely.
- Step 3** As quickly as possible, try to find and circle each item in the list below.  
(You won't find all of the items on every page.)

Here's one to show you how it's done.

- CIRCLE:**
1. Site ID
  2. Page name
  3. Sections and subsections
  4. Local navigation
  5. "You are here" indicator(s)
  6. Search

Annotations on the latimes.com screenshot:

- Site ID:** latimes.com
- Search:** Search bar at the top.
- Sections:** News, Politics, Health, Business, Entertainment, Sports, Classifieds, Shopping.
- Page name:** Breaking News
- Local navigation:** TOP STORIES, News Updates, Politics, Health, Business, Entertainment, Sports, Classifieds, Shopping.

Now try it yourself on the four web pages below. Then compare your answers with mine, starting on page 92.

And when you've finished, try the same exercise on a dozen random pages from different sites. It's a great way to develop your own sense of what works and what doesn't.

1

Annotations on the Quicken.com screenshot:

- Site ID:** Quicken.com
- Page name:** Retirement Home
- Sections:** Retirement Home, 401(k), IRAs, Planning, Annuities, Wills & Estates, Boards.
- Local navigation:** Retirement Plans At A Glance table.

Plan	Sponsor	Annual Contribution Limit	Advantages
401(k)	Corporations with more than 25 employees	Maximum employee contribution is \$10,000	You choose how to allocate your investments

Answers on page 92



2



Answers on page 93

3




Answers on page 94

4



Answers on page 95






## WHAT'S WRONG WITH THIS PICTURE?

"Annuities Step by Step" looks like the page name, but it's not.

The page name is actually "Fund other plans first," but you wouldn't know it because (a) there's no page name, and (b) there's no "You are here" indicator in the list on the left.

And there's no search box or search button, which is amazing for a site as large and varied (and full of useful content) as Quicken.com.



## < MY VERSION

I've added...

- > A page name at the top of the content space,
- > A "You are here" indicator in the list on the left, and
- > A search link, in the Utilities list.



## WHAT'S WRONG WITH THIS PICTURE?

The Site ID is below the navigation, and hard to spot. It looks too much like the internal promo next to it, and because the Site ID isn't in the upper left corner, it ends up looking like an ad.

The heading DVD is positioned above the link Audio/Video Main, but it is lower in the hierarchy. And there's no search, which is baffling in a large e-commerce site full of products.

## < THEIR REVISED VERSION

While I was writing this chapter, Global Mart redesigned their site and did most of the right things themselves. For instance, they moved the Site ID to the top of the page and added a search box.

But as so often happens with redesigns, for every step forward there's one step back. For instance, the Utilities went from one legible line to two illegible ones. (Always avoid stacking underlined text links; they're very hard to read.)

## < MY VERSION

I moved the link to Audio/Video above the page name, so the visual hierarchy matches the logical hierarchy. I also made the page name a little more prominent, and moved it flush left instead of centered. (In most cases, I find left or right alignment is more effective than centering in "telegraphing" a visual hierarchy.)

For the same reason, I moved the search button next to the search box, instead of centered below it.





## WHAT'S WRONG WITH THIS PICTURE?

The navigation is spread out all over the page, making it much harder to tell what's navigation and what isn't. The navigation, ads, promos, and content all run together.

There is no list of major sections. The list at the top looks like sections, but it's actually a list of other sub-sites of CNET.com. What makes it particularly confusing is that Builder.com (the site I'm in) doesn't appear in that list.

The only navigation that tells me where I am in Builder.com is the Breadcrumbs.

It's also hard to tell where the content actually starts. This is one of those pages that seems to keep starting over, forcing you to scroll down just to find out what it is.




## < MY VERSION

This is one of those pages where you have to have the gumption to say, "This is beyond tweaking." There are underlying dilemmas here that need to be resolved before you even think about the page layout.

All I did was tighten up the top a little and try to make the content space easier to spot by adding a background to the column on the left.

At the same time, I made sure that the page name was positioned so it was clearly connected to the content space.



## WHAT'S WRONG WITH THIS PICTURE?

Not much. Did you have trouble finding anything?

I rest my case.



## < MY VERSION

There's really almost nothing to improve here.

I did redo the search. (I don't know why they used "Enter Keywords" here when they use just plain "Search" almost everywhere else in the site.)

And if you're going to scope a search, it's always worth adding the word "for" so it reads like a sentence: "Search \_\_\_ for \_\_\_."

I also made the page name a little more prominent to help make the division between the content and navigation spaces even clearer.



# The first step in recovery is admitting that the Home page is beyond your control

## DESIGNING THE HOME PAGE

*Lucy, you got some 'splainin' to do.*  
—DESI ARNAZ, AS RICKY RICARDO

Designing a Home page often reminds me of the 50's TV game show *Beat the Clock*.

Each contestant would listen patiently while emcee Bud Collyer explained the "stunt" she had to perform. For instance, "You have 45 seconds to toss five of these water balloons into the colander strapped to your head."


The stunt always *looks* tricky, but doable with a little luck.

But then just as the contestant was ready to begin, Bud would always say, "Oh, there's just one more thing: you have to do this blindfolded." Or "...under water." Or "...in the 4th dimension."

It's that way with the Home page. Just when you think you've covered all the bases, there's always just *one...more...thing*.

Think about all the things the Home page has to accommodate:

- › **Site identity and mission.** Right off the bat, the Home page has to tell me what site this is and what it's for—and if possible, why I should be *here* and not at some other site.
- › **Site hierarchy.** The Home page has to give an overview of what the site has to offer—both content ("What can I *find* here?") and features ("What can I *do* here?")—and how it's all organized. This is usually handled by the persistent navigation.
- › **Search.** Most sites need to have a prominently displayed search box on the Home page.



Bud Collyer offers words of encouragement to a plucky contestant



*Lucy, you got some 'splainin' to do.*  
—DESI ARNAZ, AS RICKY RICARDO

Designing a Home page often reminds me of the 50's TV game show *Beat the Clock*.

Each contestant would listen patiently while emcee Bud Collyer explained the "stunt" she had to perform. For instance, "You have 45 seconds to toss five of these water balloons into the colander strapped to your head."

The stunt always looked tricky, but doable with a little luck.

But then just as the contestant was ready to begin, Bud would always add, "Oh, there's just one more thing: you have to do it...blindfolded." Or "...under water." Or "...in the fifth dimension."

It's that way with the Home page. Just when you think you've covered all the bases, there's always just *one...more...thing*.


Think about all the things the Home page has to accommodate:

- › **Site identity and mission.** Right off the bat, the Home page has to tell me what site this is and what it's for—and if possible, why I should be *here* and not at some other site.
- › **Site hierarchy.** The Home page has to give an overview of what the site has to offer—both content ("What can I *find* here?") and features ("What can I *do* here?")—and how it's all organized. This is usually handled by the persistent navigation.
- › **Search.** Most sites need to have a prominently displayed search box on the Home page.



Bud Collyer offers words of encouragement to a plucky contestant





- › **Registration.** If the site uses registration, the Home page needs links for new users to register and for old users to sign in, and a way to let me know that I'm signed in ("Welcome back, Steve Krug").

In addition to these concrete needs, the Home page also has to meet a few abstract objectives:

- › **Show me what I'm looking for.** The Home page needs to make it obvious how to get to whatever I want—assuming it's somewhere on the site.

- › **Teases.** Like the cover of a magazine, the Home page needs to entice me with hints of the "good stuff" inside. **Content promos** spotlight the newest, best, or most popular pieces of content, like top stories and hot deals. **Feature promos** invite me to explore additional sections of the site or try out features like personalization and email newsletters.

- › **Timely content.** If the site's success depends on my coming back often, the Home page probably needs to have some content that gets updated frequently. And even a site that doesn't need regular visitors needs some signs of life—even if it's only a link to a recent press release—to signal me that it's not moribund.

- › **Deals.** Home page space needs to be allocated for whatever advertising, cross-promotion, and co-branding deals have been made.

- › **Short-cuts.** The most frequently requested pieces of content (software updates, for instance) may deserve their own links on the Home page so people don't have to hunt for them.

- › **...and what I'm *not* looking for.** At the same time, the Home page needs to expose me to some of the wonderful things the site has to offer that I might be interested in—even though I'm not looking for them.
- › **Show me where to start.** There's nothing worse than encountering a new Home page and having no idea where to begin.
- › **Establish credibility and trust.** For some visitors, the Home page will be the only chance your site gets to create a good impression.

## And you have to do it...blindfolded

As if that wasn't daunting enough, it all has to be done under adverse conditions. Some of the usual constraints:

- › **Everybody wants a piece of it.** Since it's the one page almost every visitor sees—and the only page some visitors will see—things that are prominently promoted on the Home page tend to get significantly greater traffic.


As a result, the Home page is the waterfront property of the Web: It's the most desirable real estate, and there's a very limited supply. Everybody who has a stake in the site wants a promo or a link to their section on the Home page, and the turf battles for Home page visibility can be fierce.

And given the tendency of most users to scan down the page just far enough to find an interesting link, the comparatively small amount of space "above the fold"<sup>1</sup> on the Home page is the *choice* waterfront property, even more fiercely fought over.

- › **Too many cooks.** Because the Home page is so important, it's the one page that everybody (even the CEO) has an opinion about.
- › **One size fits all.** Unlike lower-level pages, the Home page has to appeal to everyone who visits the site, no matter how diverse their interests.

<sup>1</sup> A term inherited from newspapers, meaning the part of the page you can see without scrolling.





## The First Casualty of War

Given everything the Home page has to accomplish, if a site is at all complex even the best Home page design *can't* do it all. Designing a Home page inevitably involves compromise. And as the compromises are worked out and the pressure mounts to squeeze in just one more thing, some things inevitably get lost in the shuffle.


The one thing you can't afford to lose in the shuffle—and the thing that most often gets lost—is **conveying the big picture**. Whenever someone hands me a Home page design to look at, there's one thing I can almost always count on: They haven't made it clear enough *what the site is*.

As quickly and clearly as possible, the Home page needs to answer the four questions I have in my head when I enter a new site for the first time:

What is this?



What do they have here?



www.essential.com

What can I do here?



Why should I be here—and not somewhere else?



I need to be able to answer these questions at a glance, correctly and unambiguously, with very little effort.

If it's not clear to me what I'm looking at in the first few seconds, interpreting everything else on the page is harder, and the chances are greater that I'll misinterpret something and get frustrated.

But if I do "get it," I'm much more likely to correctly interpret everything I see on the page, which greatly improves my chances of having a satisfying, successful experience.

Don't get me wrong: Everything else is important. You *do* need to impress me, entice me, direct me, and expose me to your deals. But these things won't slip through the cracks; there will always be plenty of people—inside and outside the development team—seeing to it that they get done. All too often, though, no one has a vested interest in getting the main point across.



## THE TOP FIVE PLAUSIBLE EXCUSES FOR NOT SPELLING OUT THE BIG PICTURE ON THE HOME PAGE



We don't need to.  
It's obvious.

When you're involved in building a site, it's so obvious to you what you're offering and why it's insanely great that it's hard to remember that it's not obvious to everybody.



After people have seen the explanation once, they will find it annoying.

Very few people will avoid a site just because they see the same explanation of what it is every time they go there—unless it takes up half the page. Think about it: Even if you know what JAMA is, will you be offended by seeing "Journal of the American Medical Association" next to the logo in small print?



Anybody who really needs our site will know what it is.

It's tempting to think that the people who don't "get" your site right away probably aren't your real audience, but it's just not true. When testing sites, it's not at all unusual to have people say, "Oh, is that what it is? I'd use that all the time, but it wasn't clear what it was."



That's what our advertising is for.

Even if people understood your TV, radio, and print ads,<sup>2</sup> by the time they get to your site will they remember exactly what it was that caught their interest?



We'll just add a "First time visitor?" link

If the site is very complex or novel, a prominent "New to this site?" link on the Home page is a good idea. But it's no substitute for spelling out the big picture in plain sight, since most people won't click on it until they've already tried—and failed—to tough it out on their own. And by then, they may already be hopelessly confused.

<sup>2</sup> From the Wall Street Journal, March 30, 2000:

For its debut in the 1999 Super Bowl, Outpost.com aired the now infamous ad showing "gerbils" being shot out of a cannon. [These have been replaced by] staid spots in which comedian Martin Mull explains to consumers exactly what it is Outpost.com sells (computers, technology, and electronic equipment). "We could have told you that, but we shot gerbils out of a cannon," he jokes. "What were we thinking?"

## How to get the message across

Everything on the Home page can contribute to our understanding of what the site is. But there are two important places on the page where we expect to find explicit statements of what the site is about.

- › **The tagline.** One of the most valuable bits of real estate is the space right next to the Site ID. When we see a phrase that's visually connected to the ID, we know it's meant to be a tagline, and so we read it as a description of the whole site. We'll look at taglines in detail in the next section.

Tagline

Cradle and all.<sup>®</sup>



Welcome blurb

- › **The Welcome blurb.** The Welcome blurb is a terse description of the site, displayed in a prominent block on the Home page that's visible without scrolling.

The point isn't that everyone will use these two elements—or even that everyone will notice them. Most users will probably try to guess what the site is first from the overall content of the Home page. But if they can't guess, you want to have some place on the page where they can go to find out.


There is also a third possibility: You can use the entire space to the right of the Site ID at the top of the page to expand on your mission. But if you do, you have to make sure that the visual cues make it clear that this whole area is a modifier for the Site ID and not a banner ad, since users will expect to see an ad in this space and are likely to ignore it.



Here are a few guidelines for getting the message across:

- **Use as much space as necessary.** The temptation is to not want to use *any* space because (a) you can't imagine that anybody *doesn't* know what this site is, and (b) everyone's clamoring to use the Home page space for other purposes.

Take Essential.com, for example. Because of their novel proposition (choose your own utility providers), Essential.com has a lot of 'splainin' to do, so they wisely use a lot of Home page space to do it. Almost every element on the page helps explain or reinforce what the site is about.



1. Prominent tagline.
2. Prominent but terse Welcome blurb. The words Why, How, and Plus are used cleverly to make it into a bulleted list so it doesn't look like one long, imposing block of text.
3. The heading Shop By Department makes it clear that the point of these departments is to buy something, not just get information.
4. The testimonial quote (and the photo that draws your eye to it) tells the story again.

- **...but don't use any more space than necessary.** For most sites, there's no need to use a lot of space to convey the basic proposition, and messages that take up the entire Home page are usually too much for people to bother absorbing anyway. Keep it short—just long enough to get the point across, and no longer. Don't feel compelled to mention every great feature, just the most important ones (maximum four).
- **Don't use a mission statement as a Welcome blurb.** Many sites fill their Home page with their corporate mission statement that sounds like it was written by a Miss America finalist. "XYZCorp offers world-class solutions in the burgeoning field of blah blah blah blah blah...." Nobody reads them.
- **It's one of the most important things to test.** You can't trust your own judgment about this. You need to show the Home page to people from outside your organization to tell you whether the design is getting this job done because the "main point" is the one thing nobody inside the organization will notice is missing.

## Nothing beats a good tagline!™


A tagline is a pithy phrase that characterizes the whole enterprise, summing up what it is *and* what makes it great. Taglines have been around for a long time in advertising, entertainment, and publishing: "Thousands of VCRs at impossibly low prices," "More stars than there are in the heavens,"<sup>3</sup> and "All the News That's Fit to Print,"<sup>4</sup> for example.

<sup>3</sup> Metro-Goldwyn-Mayer studios, in the 1930's and 40's.

<sup>4</sup> The New York Times. I have to admit a personal preference for the Mad magazine parody version, though: "All the News That Fits, We Print."



On a Web site, the tagline appears right below, above, or next to the Site ID.



Taglines are a very efficient way to get your message across, because they're the one place on the page where users most expect to find a concise statement of the site's purpose.

Some attributes to look for when choosing a tagline:

- Good taglines are clear and informative.



- Bad taglines are vague.




- Good taglines are just long enough. Six to eight words seem to be long enough to convey a full thought, but short enough to absorb easily.



"Work. Wisely™" may be a good tagline for a TV commercial, but on a Web site it doesn't tell me enough.

I think Onvia realized this and added a second tagline.



Unfortunately, "Taking care of the business of running your small business" goes to the opposite extreme: It's too long.

- Good taglines convey differentiation and a clear benefit.



- Bad taglines sound generic.




Saving time, money, and sanity are all clearly good things. But they don't tell us anything about the site.

Don't confuse a tagline with a motto, like "We bring good things to life," "You're in good hands," or "To protect and to serve." A motto expresses a guiding principle, a goal, or an ideal, but a tagline conveys a value proposition. Mottos are lofty and reassuring, but if I don't know what the thing is, a motto isn't going to tell me.

- Good taglines are personable, lively, and sometimes clever. Clever is good, but only if the cleverness helps convey—not obscure—the benefit.



Cradle and all" is a very clever, engaging tagline. But it might give some visitors the impression that BabyCenter.com is only about buying baby "stuff," when in reality it's also an excellent source of information and advice.



Fortunately, BabyCenter had the sense to add a prominent Welcome blurb that works: almost short enough to read, with a few key words in boldface to make it scannable.

www.babycenter.com




## Tagline? We don't need no stinking tagline

Some sites can get by without a tagline. For instance,

- › The handful of sites that have already achieved household word status.<sup>5</sup>



- › Sites that are very well known from their offline origins.



Personally, though, I'd argue that even *these* sites would benefit from a tagline. After all, no matter how well known you are, why pass up an unobtrusive chance to tell people why they're better off at your site? And even if a site comes from a strong offline brand, the mission online is never exactly the same and it's important to explain the difference.

## The fifth question

Once I know what I'm looking at, there's still one more important question that the Home page has to answer for me:



Where do I start?

<sup>5</sup> Even Amazon had a tagline until as recently as 1998, when it was already a household word but not yet on the cover of Time.

BOOKS, MUSIC & MORE  
**amazon.com**

When I enter a new site, after a quick look around the Home page I should be able to say with confidence:

- › Here's where to start if I want to search.
- › Here's where to start if I want to browse.
- › Here's where to start if I want to sample their best stuff.

On sites that are built around a step-by-step process (applying for a mortgage, for instance), the entry point for the process should leap out at me. And on sites where I have to register if I'm a new user or sign in if I'm a returning user, the places where I register or sign in should be prominent.

Unfortunately, the need to promote *everything* (or at least everything that supports this week's business model) sometimes obscures these entry points. It can be hard to find them when the page is full of promos yelling "Start here!" and "No, click *me* first!"

The best way to keep this from happening is to make the entry points look like entry points (i.e., make the search box look like a search box, and the list of sections look like a list of sections). It also helps to label them clearly, with labels like "Search," "Browse by Category," "Sign in," and "Start here" (for a step-by-step process).

## Home page navigation can be unique

Designers sometimes ask me how important it is for the navigation on the Home page to be the same as on the rest of the site. For instance, if the persistent navigation is horizontal, can the Home page navigation be vertical?


The answer is definitely "Yes, it can be different. But not *too* different."

Given the unique responsibilities of the Home page, it often makes sense *not* to use the persistent navigation there. Typical differences include:


- › **Section descriptions.** Since the Home page has to reveal as much as it can of what lies below, you may want to add a descriptive phrase to each section name, or even list the subsections—something you don't have the space to do on every page.



Home page



Everywhere else




- › **Different orientation.** The Home page often requires a very different layout from all the other pages, so it may be necessary to use horizontal instead of vertical navigation, or vice versa.
- › **More space for identity.** The Site ID on the Home page is usually larger than in the persistent navigation, like the large sign over a store entrance, and it usually needs some empty space next to it for the tagline, which may not appear on every page.

But it's also important not to make any changes you don't have to. The Home page navigation and the persistent navigation need to have enough in common so users can recognize immediately that they're just two different versions of the same thing.

The most important thing is to keep the section names exactly the same: the same order, the same wording, and the same grouping. It also helps to try to keep as many of the same visual cues as possible: the same typeface, colors, and capitalization.

For example, the Wildfire.com site has a very nice design and generally excellent execution, but there's too much of a disconnect between the navigation on the Home page and the rest of the site.



All other pages

Wildfire.com Home page navigation

It doesn't matter that the navigation is vertical on the Home page and horizontal everywhere else. And even the minor variations in the section names (like **For Carriers** / **Carrier** and **The Company** / **Company**) are all right because it's obvious that they're the same.

What *does* matter is that once you leave the Home page

- › **I Want Wildfire** becomes **Consumer**
- › **WildTalk** disappears entirely
- › **Enterprise** appears out of nowhere, and
- › Even the names that *are* the same aren't in the same order




As a result, it's hard to recognize that the two navigation systems are related at all. When I leave the Home page, I have to figure out the site's navigation all over again, with a flurry of question marks floating over my head.<sup>6</sup>

## The trouble with rollovers

Given how precious Home-page real estate is, it's not surprising that people have tried all kinds of ways to create more apparent space—kind of like using landfill to create more waterfront property.

One popular approach is using rollovers to “pop up” an explanatory graphic as you point the cursor at each section name.




The popup usually contains a brief description of the section or a list of its subsections.

<sup>6</sup> Wildfire's product, by the way, is the best example of a useful computer agent that I've seen—or heard, to be precise—to date. Using speech recognition and some extremely clever tricks, it does a wonderful job of imitating a very efficient and personable personal assistant, managing all of your incoming and outgoing phone calls and messages. If you haven't already encountered Wildfire (by calling Roger Black, for instance), it's worth listening to their online demo. They've been very smart in understanding that the real value of computer agents is not how intelligent you can make them, but how intelligent you can make them seem.

In principle, it's a good idea since it can give you more information about what's in each section without cluttering up the page. Unfortunately, there are several problems with using rollovers this way:

- › **You have to seek them out.** To see the descriptions, you have to make the effort to point at each button. They can't just catch your eye while you're looking at the rest of the page.
- › **You can only see one at a time.** Since you can't see all of the descriptions at once, you can't scan them and you can't compare them.
- › **They're twitchy.** Somehow it's just harder to read text that comes and goes so quickly. The solution (surprise!) is to make the text in the popups as short as possible.
- › **They're ineffective unless the popup appears near where you're pointing.** Ideally, the popups should appear right next to the button that you're pointing at. If not, you have to keep looking back and forth between where you're reading and where you're pointing.



This is where most rollovers fail miserably—and for a good reason.





Doing it right means leaving empty space...



...so most sites do it wrong.

Note that these problems don't exist for the most common use of rollovers: highlighting the buttons themselves when you point at them.

Pets.com adds a nice whimsical touch to their button feedback rollovers, in keeping with their brand's attitude.



www.pets.com


Button feedback rollovers can add a nice element of "sizzle," and they also make it possible to save space by using smaller, more tightly spaced buttons that are still easy to click.

## The trouble with pulldowns

Another way to create more Home page real estate is by using pulldown menus.<sup>7</sup> There's no doubt about it: pulldowns definitely save space.

Unfortunately, they suffer from some of the same problems as rollovers:


- › **You have to seek them out.** You have to click on the pulldown to see the list, so there's no chance for items on the list to catch your eye as you scan the page. This can be a real drawback on the Home page where you're trying to expose the site's content.
- › **They're hard to scan.** Designers have no control over the font, spacing, or formatting of the list to make them more readable, and there's no really good way to divide the list into subgroups.
- › **They're twitchy.** Again, as with rollovers, the fact that the list comes and goes so quickly makes it harder to read.



The same menu, displayed as a static list

Pulldowns are most effective for alphabetized lists of items with known names, like countries, states, or products, because there's no thought involved. If I'm looking for VCRs, for instance, I can just scroll down to the V's.

But they're much less effective for lists where I don't know the name of the thing I'm looking for, especially if the list isn't alphabetized or is long enough to require scrolling. Unfortunately, since the main benefit of pulldowns is saving space, designers are most tempted to use them when they have a long list to display.



Good

Not so good

Some users love pulldowns because they're efficient; others won't touch them. In most cases, I think the drawbacks of pulldowns outweigh the potential benefits.

<sup>7</sup> ...or just "pulldowns," or "drop-down menus." Nobody's quite sure what to call them.



## Rotate your stock

There is one approach to creating more apparent space on the Home page that works very well, particularly for promoting features of the site.

Instead of several small promos that are always visible, you can use the same amount of space to cycle through a series of three larger promos, displaying a different one each time the page is loaded.



With the small static promos, after I've visited the page a few times the probability of my even *seeing* them approaches zero, and they're just wasting space. But if they're changing over time, there's a much better chance that they'll attract my eye. And having the larger space to play with gives you a better chance of conveying an engaging message.

Rotating them in groups of three makes it easy to deal with a problem that afflicts all Web advertising—what if I go back to click on an ad and it's no longer there?—by including links to the other two at the bottom of each promo.

Since each promo will only be displayed one-third of the time, this approach might not be acceptable to advertisers or co-branding partners who tend to panic at the thought that even one visitor might not be exposed to their ad. (They'd rather have a permanent placement on the Home page, even if it's small and ineffective.) That's why I usually recommend using this approach to promote features of the site itself.

THE HOME PAGE IS BEYOND YOUR CONTROL

## Why Golden Geese make such tempting targets, or “Funny, it tastes like chicken...”

There's something about the Home page that seems to inspire shortsighted behavior. When I sit in on meetings about Home page design, I often find the phrase “killing the golden goose” running through my head.<sup>8</sup>

There are four popular ways to kill the goose:

- › Putting a banner ad on the Home page if you don't have to. Since the Home page usually gets far more “hits” than any other page in the site, it's tempting to have a banner ad there. But if the ad degrades the user experience enough that visitors don't come back, you'll end up losing page views on all the other pages they might have visited.

Probably the worst thing about a banner ad on the Home page is that it pushes down the start of the page, leaving less “above the fold” space that is visible at a glance, and less opportunity to create a good first impression.



What you see without scrolling



Same page, without the banner ad

Besides taking up space, a banner ad is often the slowest loading element on a page. And if there's one page that shouldn't load slowly, it's the Home page.

<sup>8</sup> I always thought that the phrase came from the story of Jack and the Beanstalk. In fact, Jack's Giant did have a goose that laid golden eggs, but nobody tried to kill it. The senseless slaughter occurs in one of Aesop's fables, and there's not much to it, plot-wise: Man finds goose, man gets greedy, man kills goose, man gets no more eggs. Moral: “Greed often overreaches itself.”



Notice that I said "...if you don't have to." If your business plan calls for a banner ad on the Home page to pay for the advertising that's going to attract visitors to the site in the first place, then naturally you need to have a banner ad. But if you do, you should at least try to put some restrictions on the download size of the ads, and tweak the Home page design so the ad doesn't push the start of the page down any farther than necessary.

- **Promoting everything.** The problem with promoting things on the Home page is that it works *too* well. Anything with a prominent Home page link is guaranteed to get more traffic—usually a great deal more—leading all of the site's stakeholders to think, "Why don't I have one?"

The problem is, the rewards and the costs of adding more things to the Home page aren't shared equally. The section that's being promoted gets a huge gain in traffic, while the overall loss in effectiveness of the Home page as it gets more cluttered is shared by all sections.

It's a perfect example of the tragedy of the commons.<sup>9</sup> The premise is simple: *Any shared resource (a "commons") will inevitably be destroyed by overuse.* Take a town pasture, for example. For each animal a herdsman adds to the common pasture, he receives all proceeds from the sale of the animal—a positive benefit of +1. But the negative impact of adding an animal—its contribution to overgrazing—is shared by all, so the impact on the individual herdsman is less than -1. The only sensible course for each herdsman is to add another animal to the herd. And another, and another—preferably before someone else does. And since each rational herdsman will reach the same conclusion, the commons is doomed.

Preserving the Home page from promotional overload requires constant vigilance, since it usually happens gradually, with the slow, inexorable addition of just...one...more...thing. All the stakeholders need to be educated about the danger of overgrazing the Home page, and offered other methods of driving traffic, like cross-promoting from other popular pages or taking turns using the same space on the Home page.

<sup>9</sup> The concept, originated by nineteenth-century amateur mathematician William Forster Lloyd, was popularized in a classic essay on overpopulation by biologist Garrett Hardin ("The Tragedy of the Commons," *Science*, December 1968).

- **Letting deals drive Home page design.** One of the Web's most interesting inventions is the idea of everybody shilling for everybody else, politely referred to as "cross-promotion."

Taken to extremes, the result is often what Richard Gingras of Excite@Home calls the "NASCAR effect"—a dizzying blur of tiny ads.


There's a lot of wishful thinking that these flurries of cross-promotional ads might be worth something, because there are a lot of companies whose business plans depend on trading them with each other, like so much Confederate money.

But the painful truth is that most users don't care about your deals because it's obvious to them that the deals are almost always driven by business objectives, not user needs.

Besides, the individual ads are usually too small to be effective anyway, like one tiny logo on a NASCAR bumper that's whizzing by at 200 miles an hour.

Worst of all, on Home pages where deals drive the design these noisy ads often obscure the purpose and content of the site.

Don't get me wrong: I'm not saying don't make deals. Just try not to let them drive your Home page design.



A comparative mild case of NASCAR effect.


It's even worse when they're scattered all over the page.



- › Getting greedy for user data. Some sites make the mistake of trying to squeeze personal information out of users the moment they come through the door.

The worst case is sites that require users to register before they can even browse the site—roughly equivalent to putting up a large “Go away!” sign. Fortunately, this is rapidly becoming a mistake that only beginning designers make.

But even on well-thought-out sites, there’s still a temptation to grab all the eggs at once.



For instance, BabyCenter.com’s starting point on their Home page is terrific: it’s easy to understand, easy to use, and impossible to miss (thanks to a prominent “start here” heading and a large arrow).

All you have to do is enter your child’s birth date (or your due date, if you’re pregnant) and BabyCenter’s Home page will always welcome you with information keyed to your child’s current age or your stage of pregnancy.


It’s a great way to get users engaged in the site quickly. But even a site as good as BabyCenter couldn’t resist the temptation to go one step further and ask for an email address right away. (You actually don’t have to enter an email address to use the feature, but you can’t find that out without clicking Go.)

I suspect that a large number of visitors who would be curious enough to try the feature if all they had to provide was an anonymous birth date decide *not* to try it when asked to give an identity to go with the date. But these same people would probably be eager to provide an email address if they were asked for it *after* they’d seen the feature work, so they had some idea of what they were going to get in return.

## You be the judge

Decide for yourself how well these two Home pages get the job done. Take a quick look at each one and answer these two questions, then compare your answers with mine.

- › What’s the point of this site?
- › Do you know where to start?



Answers on page 123

www.etour.com



**productopia**  
The Source for Product Info and Advice

Search

**top form**  
shapely showoffs  
smack of luxe

**Electronics**  
DVD, Digital Cameras, TVs, Cell Phones ...

**Computers**  
Laptops, Printers, PDAs, PCs, Scanners, Modems ...

**Cars**  
SUVs, Sport Coupes, Tires, Minivans, Motorcycles ...

**Appliances**  
Vacuums, Refrigerators, Washers, Toasters ...

**Tools**  
Cordless Drills, Sanders, Saws, Snow Throwers ...

**Sports**  
Snowboards, Golf Clubs, Fitness, Mountain Bikes ...

**Women's**  
Spring Fashion 2000, Activewear, Watches ...

**Men's**  
Spring Style 2000, Watches, Shavers ...

**Baby**  
Strollers, Car Seats, Toys, Swings, High Chairs ...

**Beauty**  
Bath, Spa, Soap, Make, Brushes, Shampoo ...

**Home**  
Chairs, Lamps, Knives, Flatware, Cookware ...

**Toys**  
Games, Skateboards, Bikes, Sports Toys ...

**User Reviews** Share what you've learned.  
**Discussions** Get advice. Give advice.  
**Feedback** What are we missing?

digital 25  
PC  
Newsweek  
HOT SITE

Home | About us | Contact us | Jobs | Advertise | Partner with us

Copyright © 1999-2000, Productopia, Inc. All rights reserved.  
Terms and Conditions | Privacy Policy | Copyright Policy

Answers on page 126

www.productopia.com

**eTour** surf the web without searching  
No Lists! No Links! Really, Truly Surfing!

1 You select your interests & hobbies  
2 You find thousands of the web's best sites  
3 ...and brings them to your screen, one click at a time.

Members Enroll Here Start Let's Go! Here!

"Most Useful Site of 1999."  
"Most Addictive Site of 1999."

## WHAT'S THE POINT OF THIS SITE?

eTour is a very interesting and (to me, at least) useful site with a simple concept: Tell them what your interests are (by checking off categories like Travel, Genealogy, or Web Design) and they'll whisk you to another hand-picked, high-quality site that matches those interests each time you click on their "Next Site" button.

It's effortless, rewarding Web surfing—all wheat, no chaff. I take eTour out for a spin every few weeks just to get a fresh sampling of what's new out there.

I think they do a very good job conveying the point of the site by reducing their story to three short phrases and numbering them 1-2-3 to suggest that using the site is a simple process.

Their tagline ("Surf the Web Without Searching") is less successful because it forces me to think about whether searching is really what makes Web surfing difficult. But as taglines go it's not bad.

Of course, eTour is luckier than most sites. Since they don't have a content hierarchy that they have to make visible, all the Home page has to do is convey the concept and the value proposition. But even so, they've done a better job than other similar sites because they've stuck to the main point and resisted the temptation to tout any of the site's other features. Like any good carnival barker, they understand that the only thing that counts is getting people inside the tent.

**EarthWeb**

**Intranet Journal**  
Building the Corporate Enterprise  
Wednesday, August 2, 2000

Planning  
Development  
Design  
Deployment  
Management  
Extensibility

EarthWeb.com  
Redesign  
Click here and take a look at the new design of EarthWeb.com

Establishing  
Extensibility  
Click here and take a look at the new design of EarthWeb.com


Dear Diary  
The Boss says that Acme Corp. has an intranet and he wants you to build it.

ADVERTISING

Surf by Interest  
Surf by Industry  
Find This Site  
Home ? Rate It!

Each click on eTour's "Next Site" button opens another site.





## DO YOU KNOW WHERE TO START?

Most of the people I've shown eTour to were tempted to click on the numbers (1,2,3) or the three graphics first. But when that didn't work (they're not clickable), everyone clicked on the big "Let's Go!" button at the bottom of the page almost immediately.

The Big Button works well for first-time visitors. In fact, the only problem is that it's so big (and "Let's Go!" is so generic) that I clicked on it on my second visit, too, when what I should have clicked was the understated "Members Enter Here" button to its left. In fact, since a week or two elapsed between my subsequent visits, I clicked "Let's Go!" on my third visit, too. And my fourth.

## MY VERSION


The only changes I would make would be the starting points.

I'd make it clear that the Big Button is for new users, and I'd give registered users a clear place to sign in right on the Home page.

## MY VERSION #2

I always assumed that the three graphics illustrated the three steps described by the text. But when I started looking at the page carefully, I realized that they don't—they just show sample sites from three categories.

So I mocked up a version where the graphics actually did tell the story. And I was surprised to find that while it conveyed more information,



Animated GIF

it wasn't an improvement. In fact, overall it just made the concept seem more complicated. The moral? Things on a Web page don't always have to make literal sense to be effective, as long as they seem to make sense.

## MY VERSION #3

I also tried another version where I took out the numbers (1, 2, 3), to eliminate the temptation to click on them. But I only succeeded in proving that the page works better with them. They seem to work as a sort of visual and conceptual "glue" that helps the user make sense out of the page.

The fact that users may try to click on them is a small price to pay if the numbers make the concept clear.

## THEIR REDESIGN

After I wrote this chapter, eTour redesigned their Home page. As is often the case with redesigns, they took a few steps forward...

- They created clear entry points for new and returning users by giving the Big Button a more self-explanatory name ("Sign Up") and adding a sign-in box for registered users.
- They improved the tagline ("Your Personal Web Tour Guide") and added what amounts to another tagline ("Discover Sites You'll Like, One Click at a Time").

...and a few steps back

- They combined the sign-in box with a pull-down menu, giving users one more thing to think about with very little payoff.
- They replaced the "1-2-3" graphics and text with an animated GIF and a block of text that's too long for anyone to bother reading.





## WHAT'S THE POINT OF THIS SITE?

Productopia is an excellent site, but you might not know it from its Home page.

The problem is a flaw in the visual hierarchy. Because the tagline ("The Source for Product Info and Advice") is tucked inside the Yahoo-style directory panel, it comes across as a description of the category list instead of the whole site. And since the tagline is bland and lacking any detail, it fails to differentiate Productopia from all the other product advice sites and ends up sounding like every other inflated Internet claim.

At first glance, the only message I get is that the site has something to do with product advice. The sophisticated graphic style and the products pictured on the left strongly suggest that we're talking about stylish, expensive products—designer furniture, not Chia Pets.

I suspect that it's a site where I could find either user reviews or reviews written by Productopia for specific products. In reality, the site is much more powerful. It offers advice on finding the best product in a category in a given price range, with actual useful advice on what makes a product good in a given category.

For instance, when I clicked on what I thought was a promo for a Dualit 2 Slice toaster, I was shocked to find myself on a page filled with useful, thoughtful, well-written information about choosing a toaster. (There was a prominent link to the Dualit, but it was only one of nine featured toasters in three categories: Quality, Style, and Value.) Overall, the Home page message gave me very little hint of what I'd find inside.

It's unclear whether the area on the left is three promos for today's featured products or a very abstract Welcome blurb. (The text, "top form/shapely showoffs smack of luxe" doesn't help much.)



The actual Welcome blurb statement ("Our experts provide you with the information you need...") is underneath the promos, and it needs to come before them. And, as usual, it's too long. I have to work hard to find the crucial information: editors select products without any influence from manufacturers or advertisers.

## DO YOU KNOW WHERE TO START?

There are three clear starting points on the page:

- > Type something in the prominent search box.
- > Click on one of the categories in the Yahoo-style directory.
- > Click on one of the three featured products (if that's what they are).

The only problem is, if I'm unclear on what the site is, how do I decide what to search for or what category to choose? A successful Home page has to tell me what the site is and show me where to start.





## THEIR REVISED VERSION

While I was writing this chapter, Productopia redesigned their Home page, improving it substantially.

They eliminated the stray tagline on the right, and put a much better tagline ("We Help You Find the Products You'll Love") at the top of the area on the left.

And they shortened the crucial explanation ("Our experts offer unbiased advice to help you choose the product that's right for you") so that it now stands a chance of being read. But it's still buried at the bottom of what still looks like the featured products section.

And they moved the Utility links (Editorial Policy, User Reviews, and so on) into a new area at the bottom of the page, but they lumped them together with promos like "Women's Spring Fashion" and "Do You Cook?" It took me a while to figure out that the two columns were different.



## MY VERSION

I'd start by moving the tagline to the top of the page with the Site ID, making it clear that it's a descriptor for the entire site.

I'd also move the Welcome blurb above the promos, and make it more prominent.

I'd separate the Utility links and the promos at the bottom of the page, grouping the promos with the "featured products" above them on the left side.

And I'd reformat the awards icons. Unlike most Web awards, these four are actually meaningful. (The Digital Time award puts Productopia on a short list of e-commerce sites with Amazon and eBay.) But lining them up across the bottom of the page makes them look like they're "Bob's Cool Site of the Day" icons. This is a case where you want to be sure you don't follow a convention.



# "The Farmer and the Cowman Should Be Friends"


WHY MOST WEB DESIGN TEAM ARGUMENTS ABOUT USABILITY ARE A WASTE OF TIME, AND HOW TO AVOID THEM

One man likes to push a plough  
The other likes to chase a cow  
But that's no reason why they can't be friends


—OKLAHOMA!, OSCAR HAMMERSTEIN II

**L** EFT TO THEIR OWN DEVICES, WEB DEVELOPMENT TEAMS AREN'T notoriously successful at making decisions about usability questions. Most teams end up spending a lot of precious time rehashing the same issues over and over.

Consider this scene:







I usually call these endless discussions "religious debates," because they have a lot in common with most discussions of religion and politics: They consist largely of people expressing strongly held personal beliefs about things that can't be proven—supposedly in the interest of agreeing on the best way to do something important

(whether it's attaining eternal peace, governing effectively, or just designing Web pages). And, like most religious debates, they rarely result in anyone involved changing his or her point of view.

Besides wasting time, these arguments create tension and erode respect among team members, and can often prevent the team from making critical decisions.

Unfortunately, there are several forces at work in most Web teams that make these debates almost inevitable. In this chapter, I'll describe these forces, and explain what I think is the best antidote.

## "Everybody likes \_\_\_\_\_."

All of us who work on Web sites have one thing in common—we're also Web users. And like all Web users, we tend to have strong feelings about what we like and don't like about Web sites.

As individuals, we love Flash animations because they're cool; or we hate them because they take a long time to download. We love menus down the left side of each page because they're familiar and easy to use, or we hate them because they're so boring. We really enjoy using sites with \_\_\_\_\_, or we find \_\_\_\_\_ to be a royal pain.

And when we're working on a Web team, it turns out to be very hard to check those feelings at the door.

The result is usually a room full of individuals with strong personal convictions about what makes for a good Web site.

And given the strength of these convictions—and human nature—there's a natural tendency to project these likes and dislikes onto Web users in general: to think that most Web users like the same things we like. We tend to think that most Web users are like us.






It's not that we think that *everyone* is like us. We know there are *some* people out there who hate the things we love—after all, there are even some of them on our own Web team. But not *sensible* people. And there aren't many of them.

## Farmers vs. cowmen

On top of this layer of personal passion, there's another layer: professional passion. Like the farmers and the cowmen in *Oklahoma!*, the players on a Web team have very different perspectives on what constitutes good Web design based on what they do for a living.<sup>1</sup>



Take designers and developers, for instance. Designers tend to think that most people like sites that are visually interesting because *they* like sites that are visually interesting. In fact, they probably became designers because they enjoy good design; they find that it makes things more interesting and easier to understand.<sup>2</sup>

Developers, on the other hand, tend to think people like sites with lots of cool features because *they* like sites with lots of cool features.

The result is that designers want to build sites that look great, and developers want to build sites with interesting, original, elegant features. I'm not sure who's the farmer and who's the cowman in this picture, but I do know that their differences in perspective often lead to conflict—and hard feelings—when it comes time to establish design priorities.


<sup>1</sup> In the play, the thrifty, God-fearing, family-oriented farmers are always at odds with the freewheeling, loose-living cowmen. Farmers love fences, cowmen love the open range.

<sup>2</sup> Yes, I'm dealing in stereotypes here. But I think they're useful stereotypes.

At the same time, designers and programmers find themselves siding together in another, larger clash between what Art Kleiner describes as the cultures of hype and craft.<sup>3</sup>

While the hype culture (upper management, marketing, and business development) is focused on making whatever promises are necessary to attract venture capital, users, strategic partners, and revenue-generating deals to the site, the burden of delivering on those promises lands on the shoulders of the craft culture artisans like the designers and programmers.

This Internet version of the perennial struggle between art and commerce (or perhaps farmers and cowmen vs. the railroad barons) adds another level of complexity to any discussions of usability issues—often in the form of apparently arbitrary edicts handed down from the hype side of the fence.<sup>4</sup>



<sup>3</sup> See "Corporate Culture in Internet Time" in *strategy+business* magazine ([www.strategy-business.com/culture\\_change/00103/](http://www.strategy-business.com/culture_change/00103/)).

<sup>4</sup> I once saw a particularly puzzling feature on the Home page of a prominent—and otherwise sensibly designed—site. When I asked about it, I was told, "Oh, that. It came to our CEO in a dream, so we had to add it." True story.



## The myth of the Average User

The belief that most Web users are like us is enough to produce gridlock in the average Web design meeting. But behind that belief lies another one, even more insidious: the belief that most Web users are like *anything*.

As soon as the clash of personal and professional opinions results in a stalemate, the conversation usually turns to finding some way (whether it's an expert opinion, research, focus groups, or user tests) to determine what *most* users like or don't like—to figure out what the Average Web User is really like. The only problem is, there is no Average User.

In fact, all of the time I've spent watching people use the Web has led me to the opposite conclusion: all Web users are unique, and all Web use is basically idiosyncratic.

The more you watch users carefully and listen to them articulate their intentions, motivations, and thought processes, the more you realize that their individual reactions to Web pages are based on so many variables that attempts to describe users in terms of one-dimensional likes and dislikes are futile and counter-productive. Good design, on the other hand, takes this complexity into account.

And the worst thing about the myth of the Average User is that it reinforces the idea that good Web design is largely a matter of figuring out what people like. It's an attractive notion: either pulldowns are good (because most people like them), or they're bad (because most people don't). You should have links to everything in the site on the Home page, or you shouldn't. Menus on the top work better than menus down the side. Frames, pages that scroll, etc. are either good or bad, black or white.

The problem is there *are* no simple "right" answers for most Web design questions (at least not for the important ones). What works is good, integrated design that fills a need—carefully thought out, well executed, and tested.

Take the use of Flash, for example.<sup>5</sup> If asked, some percent of users will say they really like Flash, and an equal percent will probably say they hate it. But what they

<sup>5</sup> Flash, Macromedia's tool for creating animated and interactive user interfaces, not *flash* (lowercase), the arbitrary use of whiz-bang features to make a site more interesting.

really hate is Flash used badly: large, complicated animations that take a long time to download and don't add any value. If you observe them carefully and ask the right questions, you'll likely find that these same people will appreciate sites that use small, hardworking, well-thought-out bits of Flash to add a pleasant bit of sizzle or useful functionality without getting in the way.

That's not to say that there aren't some things you should *never* do, and some things you should *rarely* do. There are some ways to design Web pages that are clearly wrong. It's just that they aren't the things that Web teams usually argue about.

## The antidote for religious debates

The point is, it's not productive to ask questions like "Do most people like pulldown menus?" The right kind of question to ask is "Does *this* pulldown, with *these* items and *this* wording in *this* context on *this* page create a good experience for most people who are likely to use *this* site?"

And there's really only one way to answer that kind of question: testing. You have to use the collective skill, experience, creativity, and common sense of the team to build *some* version of the thing (even a crude version), then watch ordinary people carefully as they try to figure out what it is and how to use it.

There's *no* substitute for it.

Where *debates* about what people like waste time and drain the team's energy, testing *tends* to defuse arguments and break impasses by moving the discussion away from the realm of what's right or wrong and into the realm of what works or doesn't work. And by opening our eyes to just how varied users' motivations, perceptions, and responses are, testing makes it hard to keep thinking that all users are like us.

Can you tell that I think testing is a good thing?

The final three chapters are all about what, why, and how to test.




# Usability testing on 10 cents a day

KEEPING TESTING SIMPLE—SO YOU DO ENOUGH OF IT

*Why didn't we do this sooner?*  
—WHAT EVERYONE SAYS AT SOME POINT DURING THE FIRST  
USABILITY TEST OF THEIR WEB SITE

About once a month, I get one of these phone calls:



As soon as I hear “launching in two weeks” (or even “two months”) and “usability testing” in the same sentence, I start to get that old fireman-headed-into-the-burning-chemical-factory feeling, because I have a pretty good idea of what’s going on.

If it’s two weeks, then it’s almost certainly a request for a disaster check. The launch is fast approaching and everyone’s getting nervous, and someone finally says, “Maybe we better do some usability testing.”

If it’s two months, then odds are that what they want is to settle some ongoing internal debates—usually about something very specific like color schemes. Opinion around the office is split between two different designs; some people like the sexy one, some like the elegant one. Finally someone with enough clout to authorize the expense gets tired of the arguing and says, “All right, let’s get some testing done to settle this.”



And while usability testing will sometimes settle these arguments, the main thing it usually ends up doing is revealing that the things they were arguing about aren't all that important. People often test to decide which color drapes are best, only to learn that they forgot to put windows in the room. For instance, they might discover that it doesn't make much difference whether you go with the horizontal navigation bar or the vertical menus if nobody understands the value proposition of your site.

Sadly, this is how most usability testing gets done: too little, too late, and for all the wrong reasons.

## Repeat after me: Focus groups are not usability tests.

Sometimes that initial phone call is even scarier:



When the last-minute request is for a focus group, it's usually a sign that the request originated in Marketing. When Web sites are being designed, the folks in Marketing often feel like they don't have much clout. Even though they're the ones who spend the most time trying to figure out who the site's audience is and what they want, the designers and developers are the ones with most of the hands-on control over how the site actually gets put together.

As the launch date approaches, the Marketing people may feel that their only hope of sanity prevailing is to appeal to a higher authority: research. And the kind of research they know is focus groups.

I often have to work very hard to make clients understand that what they need is usability testing, not focus groups. Here's the difference in a nutshell:

- › In a **focus group**, a small group of people (usually 5 to 8) sit around a table and react to ideas and designs that are shown to them. It's a group process, and much of its value comes from participants reacting to each other's opinions. Focus groups are good for quickly getting a sampling of user's opinions and feelings about things.
- › In a **usability test**, one user at a time is shown something (whether it's a Web site, a prototype of a site, or some sketches of individual pages) and asked to either (a) figure out what it is, or (b) try to use it to do a typical task.

Focus groups can be great for determining what your audience wants, needs, and likes—in the abstract. They're good for testing whether the idea behind the site makes sense and your value proposition is attractive. And they can be a good way to test the names you're using for features of your site, and to find out how people feel about your competitors.

But they're *not* good for learning about whether your site works and how to improve it.

The kinds of things you can learn from focus groups are the things you need to learn *early on*, *before* you begin designing the site. Focus groups are for **EARLY** in the process. You can even run them late in the process if you want to do a reality check and fine-tune your message, but *don't* mistake them for usability testing. They *won't* tell you whether people can actually use your site.

## Several true things about testing

Here are the main things I know about testing:

- › If you want a **great site**, you've got to **test**. After you've worked on a site for even a few weeks, you can't see it freshly anymore. You know too much. The only way to find out if it really works is to test it.

Testing reminds you that not everyone thinks the way you do, knows what you know, uses the Web the way you do.



I used to say that the best way to think about testing was that it was like travel: a broadening experience. It reminds you how different—and the same—people are, and gives you a fresh perspective on things.

But I finally realized that testing is really more like having friends visiting from out of town. Inevitably, as you make the tourist rounds with them, you see things about your home town that you usually don't notice because you're so used to them. And at the same time, you realize that a lot of things that you take for granted aren't obvious to everybody.

- › **Testing one user is 100 percent better than testing none.** Testing always works. Even the worst test with the wrong user will show you things you can do that will improve your site.
- › **Testing one user early in the project is better than testing 50 near the end.** Most people assume that testing needs to be a big deal. But if you make it into a big deal, you won't do it early enough or often enough to get the most out of it. A simple test early—while you still have time to use what you learn from it—is almost always more valuable than a sophisticated test later.

Part of the conventional wisdom about Web development is that it's very easy to go in and make changes. The truth is, it turns out that it's not that easy to make changes to a site once it's in use. Some percentage of users will resist almost any kind of change, and even apparently simple changes often turn out to have far-reaching effects, so anything you can keep from building wrong in the first place is gravy.

- › **The importance of recruiting representative users is overrated.** It's good to do your testing with people who are like the people who will use your site, but it's much more important to test early and often. My motto—as you'll see—is “Recruit loosely, and grade on a curve.”
- › **The point of testing is not to prove or disprove something. It's to inform your judgment.** People like to think, for instance, that they can use testing to prove whether navigation system “a” is better than navigation system “b”, but you can't. No one has the resources to set up the kind of controlled experiment you'd need. What testing *can* do is provide you with invaluable input which, taken together with your experience, professional judgment, and common sense, will make it easier for you to choose wisely—and with greater confidence—between “a” and “b.”

- › **Testing is an iterative process.** Testing isn't something you do once. You make something, test it, fix it, and test it again.
- › **Nothing beats a live audience reaction.** One reason why the Marx Brothers' movies are so wonderful is that before they started filming they would go on tour on the vaudeville circuit and perform scenes from the movie, doing five shows a day, improvising constantly and noting which lines got the best laughs. Even after they'd settled on a line, Groucho would insist on trying slight variations to see if it could be improved.

Mrs. Teasdale (Margaret Dumont) and Rufus T. Firefly eavesdrop in *Duck Soup*.



## Lost our lease, going-out-of-business-sale usability testing

Usability testing has been around for a long time, and the basic idea is pretty simple: If you want to know whether your software or your Web site or your VCR remote control is easy enough to use, watch some people while they try to use it and note where they run into trouble. Then fix it, and test it again.

In the beginning, though, usability testing was a very expensive proposition. You had to have a usability lab with an observation room behind a one-way mirror, and at least two video cameras so you could record the users' reactions *and* the thing they were using. You had to recruit a lot of people so you could get results that were statistically significant. It was Science. It cost \$20 to \$50,000 a shot. It didn't happen very often.

But in 1989 Jakob Nielsen wrote a paper titled “Usability Engineering at a Discount”<sup>1</sup> and pointed out that it didn't have to be that way. You didn't need a usability lab, and you could achieve the same results with a lot fewer users.

<sup>1</sup> Proceedings of the Third International Conference on Human-Computer Interaction, Boston, MA, Sept. 1989. Apple's interface “evangelist” Bruce Tognazzini also deserves credit for spreading the word in his widely read article for Apple developers, “User Testing on the Cheap” (reprinted in *Tog on Interface*, Addison-Wesley, 1992).



The idea of discount usability testing was a huge step forward. The only problem is that a decade later most people still perceive testing as a big deal, hiring someone to conduct a test still costs \$5 to \$15,000, and as a result it doesn't happen nearly often enough.

What I'm going to commend to you in this chapter is something even more drastic: Lost our lease, going-out-of-business-sale usability testing.

I'm going to try to explain how to do your own testing when you have *no* money and *no* time. If you can afford to hire a professional to do your testing, by all means do it—but *don't* do it if it means you'll do less testing.

	TRADITIONAL TESTING	LOST-OUR-LEASE TESTING
NUMBER OF USERS PER TEST	Usually eight or more to justify the set-up costs	Three or four
RECRUITING EFFORT	Select carefully to match target audience	Grab some people. Almost anybody who uses the Web will do.
WHERE TO TEST	A usability lab, with an observation room and a one-way mirror	Any office or conference room
WHO DOES THE TESTING	An experienced usability professional	Any reasonably patient human being
ADVANCE PLANNING	Tests have to be scheduled weeks in advance to reserve a usability lab and allow time for recruiting	Tests can be done almost any time, with little advance scheduling
PREPARATION	Draft, discuss, and revise a test protocol	Decide what you're going to show
WHAT/WHEN DO YOU TEST?	Unless you have a huge budget, put all your eggs in one basket and test once when the site is nearly complete	Run small tests continually throughout the development process
COST	\$5,000 to \$15,000 (or more)	About \$300 (a \$50 to \$100 stipend for each user and \$20 for three hours of videotape)
WHAT HAPPENS AFTERWARDS	A 20-page written report appears a week later, then the development team meets to decide what changes to make	Each observer writes one page of notes the day of the test. The development team can debrief the same day

## THE TOP FIVE PLAUSIBLE EXCUSES FOR NOT TESTING WEB SITES



We don't have the time.

It's true that most Web development schedules seem to be based on the punchline from a Dilbert cartoon. If testing is going to add to everybody's to-do list, if you have to adjust development schedules around tests and involve key people in preparing for them, then it won't get done. That's why you have to make testing as small a deal as possible. Done right, it will save time, because you won't have to (a) argue endlessly, and (b) redo things at the end.



We don't have the money.

Forget \$5 to 15,000. If you can convince someone to bring in a camcorder from home, you'll only need to spend about \$300 for each round of tests.



We don't have the expertise.

The least-known fact about usability testing is that it's incredibly easy to do. Yes, some people will be better at it than others, but I've never seen a usability test fail to produce useful results, no matter how poorly it was conducted.



We don't have a usability lab.

You don't need one. All you really need is a room with a desk, a computer, and two chairs where you won't be interrupted.



We wouldn't know how to interpret the results.

It's true, the trickiest part of usability testing is making sure you draw the right conclusions from what you see. We'll cover that in the next chapter.



## How many users should you test?

In most cases, I tend to think the ideal number of users for each round of testing is three, or at most four.

The first three users are very likely to encounter all of the most significant problems,<sup>2</sup> and it's much more important to do more rounds of testing than to wring everything you can out of each round. Testing only three users helps ensure that you *will* do another round soon.<sup>3</sup>


Also, since you will have fixed the problems you uncovered in the first round, in the next round it's likely that all three users will uncover a new set of problems, since they won't be getting stuck on the first set of problems.

Testing only three or four users also makes it possible to test and debrief in the same day, so you can take advantage of what you've learned right away. Also, when you test more than four at a time, you usually end up with more notes than anyone has time to process—many of them about things that are really “nits,” which can actually make it harder to see the forest for the trees. It's better to stay focused on the biggest problems, fix them, and then test again as soon as possible.

<sup>2</sup> Jakob Nielsen and Tom Landauer have shown that testing five users will tend to uncover 85 percent of a site's usability problems, and that there is a serious case of diminishing returns for testing additional users. See Jakob Nielsen's March 2000 Alertbox column “Why You Only Need to Test with 5 Users” at [www.useit.com](http://www.useit.com).

<sup>3</sup> If you're hiring someone to do the testing for you and money is no object, you might as well test six or eight users since the additional cost per user will be comparatively low. But only if it won't mean you'll do fewer rounds of testing.


### ONE TEST WITH 8 USERS



Eight users may find more problems in a single test.

But the worst problems will usually keep them from getting far enough to encounter some others.

**TOTAL PROBLEMS FOUND: 5**



### TWO TESTS WITH 3 USERS

**First test**




Three users may not find as many problems in a single test.

**Second test**



But in the second test, with the first set of problems fixed, they'll find problems they couldn't have seen in the first test.

**TOTAL PROBLEMS FOUND: 9**



## Recruit loosely and grade on a curve

When people decide to test, they often spend a lot of time trying to recruit users who they think will precisely reflect their target audience—for instance, male accountants between the ages of 25 and 30 with one to three years of computer experience who have recently purchased expensive shoes.

The best-kept secret of usability testing is the extent to which *it doesn't much matter who you test*.

For most sites, all you really need are people who have used the Web enough to know the basics.

If you can afford to hire someone to recruit the participants for you *and* it won't reduce the number of rounds of testing that you do, then by all means be as specific as you



want. But if finding the ideal user means you're going to do fewer tests, I recommend a different approach:

*Take anyone you can get (within limits) and grade on a curve.*

In other words, try to find users who reflect your audience, but don't get hung up about it. Instead, try to make allowances for the differences between the people you test and your audience. I favor this approach for three reasons:

- › **We're all beginners under the skin.** Scratch an expert and you'll often find someone who's muddling through—just at a higher level.
- › **It's usually not a good idea to design a site so that only your target audience can use it.** If you design a site for accountants using terminology that you think all accountants will understand, what you'll probably discover is that a small but not insignificant number of accountants won't know what you're talking about. And in most cases, you need to be addressing novices as well as experts anyway, and if your grandmother can use it, an expert can.
- › **Experts are rarely insulted by something that is clear enough for beginners.** Everybody appreciates clarity. (True clarity, that is, and not just something that's been "dumbed down.")

The exceptions:

- › **If your site is going to be used almost exclusively by one type of user and it's no harder to recruit from that group,** then do it. For instance, if your audience will be almost entirely women, then by all means test just women.
- › **If your audience is split between clearly defined groups with very divergent interests and needs,** then you need to test users from each group at least once. For instance, if you're building a university site, for at least one round of testing you want to recruit two students, two professors, two high school seniors, and two administrators. But for the other rounds, you can choose any mix.
- › **If using your site requires specific domain knowledge** (e.g., a currency exchange site for money management professionals), then you need to recruit people with that domain knowledge for at least one round of tests. But don't do it for every round if it will reduce the number of tests you do.


When you're recruiting:

- › **Offer a reasonable incentive.** Typical stipends for a one-hour test session range from \$50 for "average" Web users to several hundred dollars for professionals from a specific domain, like cardiologists for instance. I like to offer people a little more than the going rate, since (a) it makes it clear that I value their opinion, and (b) people tend to show up on time, eager to participate. Remember, even if the session is only 30 minutes, people usually have to block out another hour for travel time. Also, I'd rather have people who are curious about the process than people who are desperate for the money.
- › **Keep the invitation simple.** "We need to have a few people look at our Web site and give us some feedback. It's very easy, and would take about forty-five minutes to an hour. And you'll be paid \$\_\_\_ for your time."
- › **Avoid discussing the site (or the organization behind the site) beforehand.** You want their first look to tell you whether they can figure out what it is from a standing start. (Of course, if they're coming to your office, they'll have a pretty good idea whose site it is.)
- › **Don't be embarrassed to ask friends and neighbors.** You don't have to feel like you're imposing if you ask friends or neighbors to participate. Most people enjoy the experience. It's fun to have someone take your opinion seriously and get paid for it, and they often learn something useful that they didn't know about the Web or computers in general.



## Where do you test?

All you really need is an office or conference room with two chairs, a PC or Mac (with an Internet connection, if you're testing a live site), a camcorder, and a tripod.



Test subject (A) sits in front of computer monitor (B), while facilitator (C) tells him what to do and asks questions. Camcorder (D) powered by squirrel (E) is pointed at the monitor to record what the subject sees.

Meanwhile, cable (F) carries signal from camcorder to TV (G) in a nearby room where interested team members (H) can observe.

I recommend running a long cable from the camcorder to a TV in another office—or even a cubicle—nearby and encouraging everyone on the development team to come and watch.

The camcorder needs to record what the user sees (the computer screen or the designs on paper, depending on what you're testing) and what the user and the facilitator say. In most cases, you'll never go back and look at the videotapes, but they're good to have anyway, particularly to show to team members who want to observe but can't.

You can buy the camcorder, TV, cable, and tripod for less than \$600. But if your budget won't stretch that far, you can probably twist somebody's arm to bring in a camcorder from home on test days.

## Who should do the testing?

Almost anyone can facilitate a usability test; all it really takes is the courage to try it. With a little practice, most people can get quite good at it.

Try to choose someone who tends to be patient, calm, empathetic, a good listener, and inherently fair. Don't choose someone whom you would describe as "definitely not a people person" or "the office crank."

## Who should observe?

Anybody who wants to. It's a good idea to encourage everyone—team members, people from marketing and business development, and any other stakeholders—to attend. If you can, try to get senior management to at least drop by; they'll often become fascinated and stay longer than they planned.

## What do you test, and when do you test it?

The table on the next page shows the different kinds of testing you should do at each phase of Web development.

Before you even begin designing your site, you should be testing comparable sites. They may be actual competitors, or they may be sites that are similar in style, organization, or features to what you have in mind.

Use them yourself, then watch one or two other people use them and see what works and what doesn't. Many people overlook this step, but it's invaluable—like having someone build a working prototype for you for free.

If you've never conducted a test before testing comparable sites, it will give you a pressure-free chance to get the hang of it. It will also give you a chance to develop a thick skin. The first few times you test your own site, it's hard not to take it personally when people don't get it. Testing someone else's site first will help you see how people react to sites and give you a chance to get used to it.

Since the comparable sites are "live," you can do two kinds of testing: "Get it" testing and key tasks.



	PLANNING	ROUGH SKETCHES	PAGE DESIGNS	PROTOTYPE	FIRST USABLE VERSION	"CUBICLE TESTS"
WHAT TO TEST	Competitors' sites	Sketch of Home page Names of top level categories and site features	Home page Second-level page template Content page template	As much as you have working	As much as you have working	Each unique page
FORMAT	Live site	Paper	Paper	HTML prototype	Live site	HTML page
HOW TO TEST	"Get it" Key tasks	"Get it" Names of things	"Get it" Basic navigation	"Get it" Key tasks	"Get it" Key tasks	Key tasks
WHAT YOU'RE LOOKING FOR	What do they like/love? How does it fit into their lives? What works well? How hard is it to do key tasks?	Do they get the point of the site? Does it seem like what they need?	Do they get the point of the site? Do they get the navigation? Can they guess where to find things?	Do they still get it? Can they accomplish the key tasks?	Do they still get it? Can they accomplish the key tasks?	Can they accomplish the key tasks?
SESSION LENGTH	1 hr.	15-20 min.	15-20 min.	45 min.-1hr.	1 hr.	5 min. per page
# OF TESTS	1	1-3	1-3	1-3	1-3	1 per page

**TOTAL BUDGET: 13 TESTS x 3 USERS PER TEST x \$100 PER USER = \$3900**

- › "Get it" testing is just what it sounds like: show them the site, and see if they get it—do they understand the purpose of the site, the value proposition, how it's organized, how it works, and so on.
- › Key task testing means asking the user to do something, then watching how well they do.

As a rule, you'll always get more revealing results if you can find a way to observe users doing tasks that they have a hand in choosing. It's much better, for instance, to say "Find a book you want to buy, or a book you bought recently" than "Find a cookbook for under \$14." When people are doing made-up tasks, they have no emotional investment in it, and they can't use as much of their personal knowledge.

As you begin designing your own site, it's never too early to start showing your design ideas to users, beginning with your first rough sketches. Designers are often reluctant to show work in progress, but users may actually feel freer to comment on something that looks unfinished, since they know you haven't got as much invested in it and it's still subject to change. Also, since it's not a polished design, users won't be distracted by details of implementation and they can focus on the essence and the wording.

Later, as you begin building parts of the site or functioning prototypes, you can begin testing key tasks on your own site.

I also recommend doing what I call Cubicle tests: Whenever you build a new kind of page—particularly forms—you should print the page out and show it to the person in the next cubicle and see if they can make sense out of it. This kind of informal testing can be very efficient, and eliminate a lot of potential problems.



# Usability testing: The movie

HOW TO DO YOUR OWN TESTING

*I don't like the colors.*  
—WHAT YOU CAN COUNT ON AT LEAST  
ONE USER SAYING IN EVERY USABILITY TEST

**T**his chapter explains how to conduct a test if you're the facilitator and what to look for if you're an observer.

## What to do if you're the facilitator

If you've never conducted a usability test, the main thing you need to know is that you should just relax, because there's not much to it. Your responsibility is to tell the users what you want them to do, to encourage them to think out loud, to listen carefully to what they have to say, and to protect them.

Here's a list of the things to keep in mind. If you read this list and the sample session that follows it, you'll be ready to start testing.<sup>1</sup>

- › **Try the test yourself first.** The day before the test, try doing whatever you're going to ask the test participants to do and make sure that you can do it in the time allotted. Make sure that whatever pages you're testing are accessible from the computer you'll be using, and that you have any passwords you'll need.
- › **Protect the participants.** It's your responsibility to prevent any damage to your test users' self-esteem. Be nice to them. If they get stuck, don't let them get too frustrated. Be sure to pat them on the back (figuratively), and thank them (sincerely) when you're done. Let them know that their participation has been very helpful—exactly what you needed.
- › **Be empathetic.** Be kind, patient, and reassuring. Make it clear to them that you *know* they're not stupid.

<sup>1</sup> If you still feel the need for more advice, I recommend Jeffrey Rubin's Handbook of Usability Testing. See my reading list on page 183.



- › **Try to see the thought balloons forming over their heads.** The main thing you're trying to do is observe their thought process. Whenever you're not sure what they're thinking, ask them. If the user has been staring at the screen for ten seconds, ask, "What are you looking at?" or "What are you thinking?"

You're trying to see what their expectation is at each step and how close the site comes to matching that expectation. When they're ready to click, ask what they expect to see. After they click, ask if the result was what they expected.

- › **Don't give them hints about what to do.** It's a lot like being a therapist. If they say, "I'm not sure what to do next," you should say, "What do *you* think you should do?" or "What would you do if you were at home?"
- › **Keep your instructions simple.** There aren't very many, so you'll learn them quickly.

"Look around the page and tell me what you think everything is and what you would be likely to click on."

"Tell me what you would click on next and what you expect you would see then."

"Try to think out loud as much as possible."

Don't be afraid to keep repeating them; it will be more boring to you than to the user.

- › **Probe, probe, probe.** You have to walk a delicate line between distracting or influencing the users and finding out what they're really thinking, which they may not know themselves.

For instance, when a user says, "I like this page" you always want to ask a leading question like "What do you like best about it?" If this produces "Well, I like the layout" then you need to follow with "What appeals to you about the layout?" You're looking for specifics, not because the specifics themselves are necessarily important but because eliciting them is the only way you can be sure you understand what the user is really reacting to.

- › **Don't be afraid to improvise.** For instance, if the first two users get hopelessly stuck at the same point and it's obvious what the problem is and how to fix it, don't make the third user struggle with it needlessly. As soon as he encounters the problem, explain it and let him go on to something more productive.
- › **Don't be disappointed if a user turns out to be inexperienced or completely befuddled.** You can often learn more by watching a user who *doesn't* get it than one who does. Because more experienced users have better coping strategies for "muddling through," you may not even notice that they don't get it.
- › **Make some notes after each session.** Always take a few minutes right after each test session to jot down the main things that struck you. If you don't do it before you start the next test, it will be very hard to remember what they were.

## A sample test session

Here's an annotated excerpt from a typical—but imaginary—test session. The site is real, but it has since been redesigned.<sup>2</sup> The participant's name is Janice, and she's about 25 years old.

<sup>2</sup> My thanks to the folks at eLance.com for allowing me to use an earlier version of their site as the subject of this example.



## INTRODUCTION

Hi, Janice. My name is Steve Krug, and I'm going to be walking you through this session.

This whole first section is the script that I use when I conduct tests.<sup>3</sup>

You probably already know, but let me explain why we've asked you to come here today. We're testing a Web site that we're working on so we can see what it's like for actual people to use it.

I want to make it clear right away that we're testing the site, not you. You can't do anything wrong here. In fact, this is probably the one place today where you don't have to worry about making mistakes.

We want to hear exactly what you think, so please don't worry that you're going to hurt our feelings.<sup>4</sup> We want to improve it, so we need to know honestly what you think.

As we go along, I'm going to ask you to think out loud, to tell me what's going through your mind. This will help us.

I always have a copy in front of me, and I don't hesitate to read from it, but I find it's good to ad lib a little, even if it means making mistakes. When the users see that I'm comfortable making mistakes, it helps take the pressure off them.

<sup>3</sup> A copy of the script is available on the companion Web site ([www.circle.com/krugbook](http://www.circle.com/krugbook)) so you can download it and edit it for your own use.

<sup>4</sup> If you didn't work on the part that's being tested, you can also say, "Don't worry about hurting my feelings. I didn't create the pages you're going to look at."

If you have questions, just ask. I may not be able to answer them right away, since we're interested in how people do when they don't have someone sitting next to them, but I will try to answer any questions you still have when we're done.

We have a lot to do, and I'm going to try to keep us moving, but we'll try to make sure that it's fun, too.

You may have noticed the camera. With your permission, we're going to videotape the computer screen and what you have to say. The video will be used only to help us figure out how to improve the site, and it won't be seen by anyone except the people working on the project. It also helps me, because I don't have to take as many notes. There are also some people watching the video in another room.

If you would, I'm going to ask you to sign something for us. It simply says that we have your permission to tape you, but that it will only be seen by the people working on the project. It also says that you won't talk to anybody about what we're showing you today, since it hasn't been made public yet.

Do you have any questions before we begin?

No. I don't think so.

It's important to mention this, because it will seem rude not to answer their questions as you go along. You have to make it clear before you start that (a) it's nothing personal, and (b) you'll try to answer them at the end if they still want to know.

At this point, most people will say something like, "I'm not going to end up on America's Funniest Home Videos, am I?"

Give them the release and non-disclosure agreement to sign. It should be as short as possible and written in plain English.<sup>5</sup>

<sup>5</sup> You'll find a sample form on the companion Web site.



## BACKGROUND QUESTIONS

Before we look at the site, I'd like to ask you just a few quick questions. First, what's your occupation?

I'm a router.

I've never heard of that before. What does a router do, exactly?

Not much. I take orders as they come in, and send them to the right office.

Good. Now, roughly how many hours a week would you say you spend using the Internet, including email?

Oh, I don't know. Probably an hour a day at work, and maybe four hours a week at home. Mostly that's on the weekend. I'm too tired at night to bother. But I like playing games sometimes.

How do you spend that time? In a typical day, for instance, tell me what you do, at work and at home.

I find it's good to start with a few questions to get a feel for who they are and how they use the Internet. It gives them a chance to loosen up a little and gives you a chance to show that you're going to be listening attentively to what they say—and that there are no wrong or right answers.

Don't hesitate to admit your ignorance about anything. Your role here is not to come across as an expert, but as a good listener.

Notice that she's not sure how much time she really spends on the Internet. Most people aren't. Don't worry. Accurate answers aren't important here. The main point here is just to get her talking and thinking about how she uses the Internet and to give you a chance to gauge what kind of user she is.

Well, at the office I spend most of my time checking email. I get *a lot* of email, and a lot of it's junk but I have to go through it anyway. And sometimes I have to research something at work.

Do you have any favorite Web sites?

Yahoo, I guess. I like Yahoo, and I use it all the time. And something called Snakes.com, because I have a pet snake.

Really? What kind of snake?

A python. He's about four feet long, but he should get to be eight or nine when he's fully grown.

Wow. OK, now, finally, have you bought anything on the Internet? How do you feel about buying things on the Internet?

Don't be afraid to digress and find out more about the user, as long as you come back to the topic before long.



I've bought some things recently. I didn't do it for a long time, but only because I couldn't get things delivered. It was hard to get things delivered, because I'm not home during the day. But now one of my neighbors is home all the time, so I can.

And what have you bought?

Well, I ordered a raincoat from L.L. Bean, and it worked out *much* better than I thought it would. It was actually pretty easy.

OK, great. We're done with the questions, and we can start looking at things.

OK, I guess.


## REACTIONS TO THE HOME PAGE

First, I'm just going to ask you to look at this page and tell me what you think it is, what strikes you about it, and what you think you would click on first.

For now, don't actually click on anything. Just tell me what you *would* click on.

And again, as much as possible, it will help us if you can try to think out loud so we know what you're thinking about.

The browser has been open, but minimized. At this point, I reach over and click to maximize it.





Well, I guess the first thing I notice is that I like the color. I like the shade of orange, and I like the little picture of the sun [at the top of the page, in the eLance logo].

Let's see. [Reads.] "The global services market." "Where the world comes to get your job done."



I don't know what that means. I have no idea.

"Animate your logo free." [Looking at the Cool Stuff section on the left.] "3D graphics marketplace." "eLance community." "eLance marketplace."




In an average test, it's just as likely that the next user will say that she hates this shade of orange and that the drawing is too simplistic. Don't get too excited by individual reactions to site aesthetics.

There's a lot going on here. But I have no idea what any of it is.

If you had to take a guess, what do you think it might be?

Well, it seems to have something to do with buying and selling...something.

[Looks around the page again.] Now that I look at the list down here [the Yahoo-style category list halfway down the page], I guess maybe it must be services. Legal, financial, creative...they all sound like services.



This user is doing a good job of thinking out loud on her own. If she wasn't, this is where I'd start asking her, "What are you thinking?"




So I guess that's what it is. Buying and selling services. Maybe like some kind of online *Yellow Pages*.

OK. Now, if you were at home, what would you click on first?

I guess I'd click on that 3D graphics thing.

I'm interested in 3D graphics.

Before you click on it, I have one more question. What about these pictures near the top of the page—the ones with the numbers? What did you make of them?



I noticed them, but I really didn't try to figure them out. I guess I thought they were telling me what the steps in the process would be.

Any reason why you didn't pay much attention to them?

No. I guess I just I just wasn't ready to start the process yet. I didn't know if I *wanted* to use it yet. I just wanted to look around first.

OK. Great.

At this point, I would let her explore for a few minutes, following whatever links she's interested in and encouraging her to think out loud the whole time.



## TESTING A TASK

OK, now we're going to try something else.

Can you think of something you might want to post as a project if you were using this site?

Hmm. Let me think. I think I saw "Home Improvement" there somewhere. We're thinking of building a deck. Maybe I would post that.

So if you were going to post the deck as a project, what would you do first?

I guess I'd click on one of the categories down here. I think I saw home improvement. [Looks.] There it is, under "Family and Household."

So what would you do?

Well, I'd click.... [Hesitates, looking at the two links under "Family and Household."]

### Family & Household

Food & Cooking, Gardening, Genealogy, Home Improvement, Interior Design, Parenting, Pets, Real Estate...

RFPs | Fixed-Price

After a few minutes of "free range clicking," I give her a task to perform so we can see whether she can use the site for its intended purpose.

Whenever possible, I like to let the user have some say in choosing the task.

Well, now I'm not sure *what* to do. I can't click on Home Improvement, so it looks like I have to click on either "RFPs" or "Fixed-Price." But I don't know what the difference is.

Fixed price I sort of understand; they'll give me a quote, and then they have to stick to it. But I'm not sure what RFPs is.

Well, which one do you think you'd click on?

Fixed price, I guess.

Why don't you go ahead and do it?

As it turns out, she's mistaken. Fixed-price (in this case) means services available for a fixed hourly rate, while an RFP (or Request for Proposal) is actually the choice that will elicit quotes. This is the kind of misunderstanding that often surprises the people who built the site.

From here on, I just watch while she tries to post a project, letting her continue until either (a) she finishes the task, (b) she gets really frustrated, or (c) we're not learning anything new by watching her try to muddle through.



## What to do if you're observing

Being an observer at a usability test is a very cushy job. All you have to do is listen, watch closely, keep an open mind, and take notes.

Here are the types of things you're looking for:

- › **Do they get it?** Without any help, can the users figure out what the site or the page is, what it does, and where to start?
- › **Can they find their way around?** Do they notice and understand the site's navigation? Does your hierarchy—and the names you're using for things—make sense to them?
- › **Head slappers.** You'll know these when you see them: the user will do something, or *not* do something, and suddenly everyone who's observing the session will slap his or her forehead and say, "Why didn't we think of that?" or "Why didn't we ever notice that?" These are *very* valuable insights.
- › **Shocks.** These will also make you slap your head, but instead of saying "Why didn't we notice that?" you'll say, "How could she [the user] *not* notice that?" or "How could she not understand that?" For instance, you might be shocked when someone doesn't notice that there is a menu bar at the top of each page, or doesn't recognize the name of one of your company's products.  
  
Unlike head slappers, the solution to shocks won't always be obvious and they may send you back to the drawing board.
- › **Inspiration.** Users will often suggest a solution or the germ of a solution to a problem that you've struggled with for a long time. Very often the solution will be something you'd already thought about and rejected, but just watching someone actually encounter the problem will let you see it in a whole new light. And often something else about the project has changed in the meantime (you've decided to use a different technology, for instance, or there's been a shift in your business priorities) that makes an abandoned approach suddenly feasible.
- › **Passion.** What are the elements of the site that users really connect with? Be careful not to mistake mere enthusiasm for passion, though. You're looking for phrases like "This is exactly what I've been looking for!" or "When can I start using this?"

In the course of any test, you'll also notice a number of things that are just not working like missing graphics, broken links, or typos. You should keep a list of these things so you can pass it on to whomever will fix them, but they're not what you're there to find, and you shouldn't let them distract you.

Here are some things to keep in mind when you're observing:

- › **Brace yourself.** You may be disappointed by the users' reactions. Some people just won't get it. Some just won't like it. Some will get lost and confused, apparently without reason. It can be emotionally wrenching to watch someone have a negative reaction to something you've poured your soul into. The mantra you want to have in your head is not "It's not working!" but, rather, "What will it take to fix it?"
- › **Don't panic.** Try to resist the temptation to jump to *any* conclusions until you've seen at least two users, preferably three.
- › **Be quiet.** There's nothing more disconcerting for a test participant than the sound of laughter—or groans—coming from an adjoining room when she's having trouble using the site.
- › **Remember that you're grading on a curve.** When a participant who uses the Internet two hours a day doesn't know how to type a URL, don't think, "Sheesh! What a dolt." Think, "How many people are there just like that out there? Can we afford to lose all of them as users?"
- › **Remember that you're seeing their best behavior.** When you're watching a test you need to remember that people will tend to read Web pages much more thoroughly and put more effort into figuring things out in a test situation than they will in real life. After all, they're not under any time pressure, they're being paid to figure it out, and—most importantly—they don't want to look stupid. So when they can't figure something out, you have to realize that they're trying much harder than most people will and they *still* can't get it.
- › **Pay more attention to actions and explanations than opinions.** Opinions expressed during user tests are notoriously unreliable. People will often exaggerate their opinions—positive *and* negative—because they think you *want* them to express strong opinions.



## Reporting what you saw

As soon as possible after the test, each observer and the facilitator should type up a short list of the main problems they saw and any thoughts they have about how to fix them.

You don't want to write a comprehensive report, more like an executive summary. Ideally you want the entire development team to read all of these lists (or at least scan them), so each one should be no longer than a page or two.

Here's an example of the kind of notes I usually write:

### USABILITY TEST NOTES: ELANCE.COM

Steve Krug

June 1, 2000

- › Everybody seemed to be drawn immediately to the "Cool Stuff" links at the top of the Home page, particularly "Animate your logo: Free!" It's good that it engaged them, but after they were finished looking at the offer, they all seemed puzzled about how it related to the site.
- › Two of the three users were unable to figure out what eLance was without some help. They figured it out eventually, but one of them said he wouldn't have bothered if he wasn't in a test. The wording of the main message still needs work.
- › Everybody was unclear about how to get started. They all found a way, but they were uncertain and anxious along the way. There still may be too many entry points.
- › Two users thought they understood the site, but they were puzzled by the Community tab. Is there another name we could use?
- › The words "Buy" and "Sell" seemed to puzzle them. They weren't sure whether to think of themselves as buyers or sellers.
- › Two of the three users were confused by RFP vs. Fixed-price.
- › They all liked the category listing. Seeing categories they were interested in right away on the Home page encouraged them to go on and find out more.



# On not throwing the baby out with the dishes

## INTERPRETING TEST RESULTS

*Sure, we've made mistakes. But let's not throw the baby out with the dishes*  
—LYNDON BAINES JOHNSON

**O**K, you've done your testing, and you've got everyone's notes. How do you decide what to change?

### Review the results right away

After each round of tests, you should make time as soon as possible for the development team to review everyone's observations and decide what to do next.

At this meeting, you should distribute copies of everyone's notes and copies of whatever screens or sketches were tested. You're doing two things at this meeting:

- › **Triage**—reviewing the problems people saw and deciding which ones need to be fixed.
- › **Problem solving**—figuring out how to fix them.

It might seem that this would be a difficult process. After all, these are the same team members who've been arguing about the right way to do things all along. So what's going to make this session any different?

Just this:

The important things that you learn from usability testing usually *just make sense*. They tend to be obvious to anyone who watches the sessions.

Also, the experience of seeing your handiwork through someone else's eyes will often suggest entirely new solutions for problems, or let you see an old idea in a new light.

And remember, this is a cyclic process, so the team doesn't have to agree on the perfect solution. You just need to figure out what to try next.



## Can this marriage be saved?

Naturally, the biggest question on everyone's mind, especially during the first few tests, is always "Are we basically on the right track?"

At these debriefing meetings, you're always trying to figure out whether the part of the site that you're testing can be made to work by tweaking it, or if you have to scrap it and take a whole different approach. For instance, if some users don't get the whole idea of the site, does it mean that the basic concept is flawed, or do you just have to change some of the wording?

Here's my advice:

- › **Always consider tweaking first.** It's rare that a site is completely off-base, but there's a tendency to be spooked by any bad user reactions, particularly after the first round of testing. Before scrapping anything, always stop and think, "What's the *least* we could do that might fix the problems we're seeing?" If it seems like a particular tweak has a reasonable chance of working, mock it up and test it as soon as possible.
- › **Focus on specifics.** Try to avoid sweeping statements and focus on the precise points where people seemed to go astray. "They didn't seem to notice the navigation when they got to the second-level pages" is a much more productive place to begin problem solving than "The navigation didn't work." One suggests that you should think about ways you could make the navigation slightly more noticeable; the other suggests you should start considering a whole new navigation scheme.
- › **Tweak, but verify.** Remember, this is a cyclic process. Since you'll be doing another test soon, you can afford to try some tweaks before scrapping anything.

On the other hand:

- › **If the problem is deep, bite the bullet.** I sometimes walk into situations where the site has a serious fundamental problem that nobody is talking about. The problem has usually been obvious to everyone involved for a long time, but nobody wants to be the one to mention it because (a) it seems like there's no solution, and (b) it seems like it's too late to do anything but tough it out and hope for the best. Sometimes I get called into these situations precisely because they need an outsider to announce what's already obvious to everyone.

For instance, suppose that when you do your first test it becomes clear that the way you've chosen to organize the site isn't the way your users would organize it, and as a result they're having a very hard time figuring out where you've put things. Or perhaps you've been building your company's site assuming that your customers will want to do *x* and *y*, but when you start testing you learn that they're happy with the way they already do *x* and *y* and they're not really interested in doing them online.

If you've got a deep-seated problem, a post-test debriefing meeting is a good place to finally face it. Once it's out on the table, it usually turns out to be more manageable than it seems when you're not talking about it.

- › **Remember: It's *almost* never too late to challenge basic assumptions.** Rethinking the basics doesn't necessarily mean changing everything, and it often turns out that the solution to the problem is simpler than you've feared.



## Typical problems

Here are the types of problems you're going to see most often when you test:

- › **Users are unclear on the concept.** They just don't get it. They look at the site or a page and they either don't know what to make of it, or they think they do but they're wrong.
- › **The words they're looking for aren't there.** This usually means that either (a) the categories you've used to organize your content aren't the ones they would use, or (b) the categories are what they expect, but you're just not using the names they expect.
- › **There's too much going on.** Sometimes what they're looking for is right there on the page, but they're just not seeing it. In this case, you need to either (a) reduce the overall noise on the page, or (b) turn up the volume on the things they need to see so they "pop" out of the visual hierarchy more.

## Some triage guidelines

Here's the best advice I can give you about deciding what to fix—and what not to.

- › **Ignore "kayak" problems.** In any test, you're likely to see several cases where users will go astray momentarily but manage to get back on track almost immediately without any help. It's kind of like rolling over in a kayak, as long as the kayak rights itself quickly enough, it's all part of the so-called fun. In basketball terms, no harm, no foul.

As long as (a) everyone who has the problem notices that they're no longer headed in the right direction quickly, and (b) they manage to recover without help, and (c) it doesn't seem to faze them, you can ignore the problem. In general, if the user's second guess about where to find things is always right, that's good enough.

Of course, if there's an easy and obvious fix that won't break anything else, then by all means fix it. But kayak problems usually don't come as a surprise to the development team. They're usually there because of some ambiguity for which there is no simple resolution. For example, there are usually at least one or two oddball items that don't fit perfectly into any of the top-level categories of a site. So half the users may look for movie listings in Lifestyles first, and the other half will look for them in Arts first. Whatever you do, half of them are going to be wrong on their first guess, but everyone will get it on their second guess, which is fine.<sup>1</sup>

- › **Resist the impulse to add things.** When it's obvious in testing that users aren't getting something, most people's first reaction is to add something, like an explanation or some instructions.

Very often, the right solution is to take something (or things) away that are obscuring the meaning, rather than adding yet another distraction.

<sup>1</sup> You may be thinking "Well, why not just put it in both categories?" In general, I think it's best for things to "live" in only one place in a hierarchy, with a prominent "see also" crosslink in any other places where people are likely to look for them.



- › **Take “new feature” requests with a grain of salt.** People will often say, “I’d like it better if it could do x.” It always pays to be suspicious of these requests for new features. If you probe deeper, it often turns out that they already have a perfectly fine source for *x* and wouldn’t be likely to switch; they’re just telling you what they like.
- › **Grab the low-hanging fruit.** The main thing you’re looking for in each round of testing is the big, cheap wins. These fall into two categories:
  - › **Head slappers.** These are the surprises that show up during testing where the problem and the solution were obvious to everyone the moment they saw the first user try to muddle through. These are like found money, and you should fix them right away.
  - › **Cheap hits.** Also try to implement any changes that (a) require almost no effort, or (b) require a *little* effort but are highly visible.

And finally, there’s one last piece of advice about “making changes” that deserves its own section:

## Don’t throw the baby out with the dishes

Like any good design, successful Web pages are usually a delicate balance, and it’s important to keep in mind that even a minor change can have a major impact. Sometimes the real challenge isn’t fixing the problems you find—it’s fixing them *without* breaking the parts that already work.

Whenever you’re making a change, think carefully about what else is going to be affected. In particular, when you’re making something more prominent than it was, consider what else might end up being de-emphasized as a result.

## That’s all, folks

As Bob and Ray used to say, “Hang by your thumbs, and write if you get work.”

I hope you’ll check in at the companion Web site [www.circle.com/krugbook](http://www.circle.com/krugbook) from time to time. I’m going to be working on some pseudo-research (as I like to think of it) using eye tracking equipment to learn more about what we actually see when we look at Web pages, and I’ll try to post some observations now and then.

But above all, be of good cheer. As I said at the beginning, building a great Web site is an enormous challenge, and anyone who gets it even half right has my admiration.

And please don’t take anything I’ve said as being against breaking “the rules”—or at least bending them. I know there are even sites where you want the interface to make people think, to puzzle or challenge them. Just be sure you know which rules you’re bending, and that you at least *think* you have a good reason for bending them.



# Recommended reading

Now that you have read the Classics Illustrated edition, don't miss the added enjoyment of reading the original, obtainable at your school or public library.



—OBLIGATORY DISCLAIMER/EXHORTATION AT THE END OF EVERY CLASSICS ILLUSTRATED COMIC BOOK

THERE ARE DOZENS OF WORTHWHILE USABILITY-RELATED BOOKS AND WEB sites I *could* recommend, but these are the ones that have really influenced the way I think about the Web.

› **INFORMATION ARCHITECTURE FOR THE WORLD WIDE WEB**

Louis Rosenfeld and Peter Morville, O'Reilly, 1998.

Hands down, the single most useful book about Web site design. They tackle the issues of navigation, labeling, and searching with admirable clarity and practicality.



› **WHY WE BUY: THE SCIENCE OF SHOPPING**

Paco Underhill, Simon and Schuster, 1999.

A wonderful summary of many years of detailed observation of shoppers in their natural habitat. Even though the subject is the brick-and-mortar shopping experience, the problem is the same as Web design: creating complex, engaging environments where people look for things—and find them.

› **SOURCES OF POWER: HOW PEOPLE MAKE DECISIONS**

Gary Klein, MIT Press, 1998.

Klein's study of naturalistic decision making is another wonderful example of *how* field observation can reveal the difference between the way we think we do things and the way we actually do them. If the *Whole Earth Catalog* still existed, this book and *Why We Buy* would both be in it.







► **THE PRACTICE OF CREATIVITY: A MANUAL FOR DYNAMIC GROUP PROBLEM SOLVING**

George M. Prince, Macmillan, 1972.

I took a course in the Syntectics method thirty years ago, and there hasn't been a week since then that I haven't used something I learned from it. Think of it as brainstorming on steroids, coupled with some remarkable insights into how people work in groups. The book is out of print, but you can find a copy pretty easily via the Web.



► **HANDBOOK OF USABILITY TESTING**

Jeffrey Rubin, John Wiley & Sons, 1994.

Even though it describes *software* usability testing (since it predates the Web), and the philosophical differences in Rubin's and my approaches to testing will be obvious at a glance (as evidenced by the heading "Guidelines for Ensuring Experimental Rigor"), Rubin's book is still the most useful nuts-and-bolts guide available.

I particularly recommend Chapters 4 ("Test Roles") and 8 ("Conducting the Test"), which contain a lot of good advice on how to prepare yourself mentally, how to probe user reactions, and how to deal with commonly encountered situations like frustrated users or balky equipment.

► **JAKOB NIELSEN'S WEB SITE, USEIT.COM**

([www.useit.com](http://www.useit.com)). Beginning with *Usability Engineering* in 1984, Jakob Nielsen has long been usability's most articulate and thought-provoking advocate. And since the advent of the Web, he's shown up everywhere but on milk cartons preaching the value of Web usability.

I don't always agree with what he says, but I always admire the way he says it. His site houses his biweekly Alertbox columns (another reason to admire him: a columnist who's smart enough to know he doesn't have something important to say every week), and links to all of the best usability resources on the Web.




► **TOMALAK'S REALM** ([www.tomalak.org](http://www.tomalak.org)).

Every day, Lawrence Lee scours all the Web sites I'd scour if I had time and provides links to the best news stories and articles about what he calls "strategic Web design." I've come to trust his judgment so much that I don't feel like I'm missing anything by not making the rounds myself.

The site's design is a model of efficiency: just a date and time stamp (since he updates the site throughout the day), links to the stories, each accompanied by a carefully chosen quote, and a searchable archive of past links.

Everyone should be so lucky as to have a site like this for his or her profession.





# Acknowledgments

...AND ALL I GOT WAS THIS LOUSY T-SHIRT

*...and the men of the U.S.S. Forrestal, without whose cooperation this film would never have been made.*

—CONVENTIONAL MOVIE ACKNOWLEDGMENT

**D**ON'T KID YOURSELF. A BOOK LIKE THIS IS LARGELY THE WORK OF ONE person. There's no other single human being who's spent nearly as much time as I have thinking about it, perseverating over it, changing the same sentence back and forth between two different versions over and over.

But I get my name on the cover, where everyone else involved gets just slightly less than bupkus. And even if I'd had a million years to work on it, you'd never be reading this if it hadn't been for the talent, skill, encouragement, kindness, patience, generosity, and forbearance of many people.

## Editors, designers, patrons, and enablers

I've always heard horror stories about stormy farmer/cowman relationships between authors and editors, but personally I love having a good editor tell me where I've gone astray. With a book—just as with a Web site—you don't have to work on it long before you're just too close to it to see things clearly. I was fortunate enough to have the benefit of two editors:

- › **Karen Whitehouse** from Macmillan always thought this book was a good idea, always knew what I was trying to get at (even when I didn't), never rapped my knuckles (even when I deserved it), and was always a delight to be around. If you write a book, you should be so lucky. I will miss not having an excuse to talk to her all the time.
- › **Barbara Flanagan**, a longtime friend and masterful copy editor who by her own admission can't even read a novel without a pencil in her hand, read the manuscript at several stages out of the goodness of her heart, in her copious spare time. She showed me elegant ways out of countless corners I had painted myself into.

Wherever you detect a flaw in this book, you should just imagine either Karen or Barbara—or both—saying, "Well, if you really insist...."



In designing this book, **Allison Cecil** knowingly took on a maniac's job.<sup>1</sup> Imagine designing a book for a nitpicking, opinionated author who's written a book espousing his own design principles and insists that the book has to reflect them. And naturally, in the grand *Beat the Clock* do-it-under-water tradition, it all had to be done in a nightmarishly small amount of time. She managed it only by (a) forgoing sleep—and everything else—for weeks on end with enormous good grace, and (b) displaying talent equal to her patience. As with Karen and Barbara, anything that strikes you as a design flaw is almost certainly something she did only because I twisted her arm.

**David Matt** and **Elizabeth Oh** at Roger Black Consulting and **Trina Wurst** and **Sandra Schroeder** at Macmillan made major contributions to the design and production, and **Mark Matcho** provided the illustrations in an ungodly rush.

**Roger Black** has generously encouraged my work for years now, and it's always a treat to work with him and watch the unique—and amusing—thought balloons that form over *his* head. The only downside is that I all-too-rarely get to enjoy the pleasure of his company because he's always in Uruguay or Singapore. It was his suggestion that I do this book in the first place, and he and **Jock Spivy** saw to it that Circle.com provided support that made it possible.

**Alexandra Anderson-Spivy** ("Ally") managed the project from Circle.com's end and provided valuable editorial advice and—as is her way—invaluable moral support from start to finish.

## Sounding boards

I relied on many people to tell me whether I was actually making any sense, or just—in the words of Scotty the reporter in *The Thing from Another World*<sup>2</sup>—"stuffed full of wild blueberries." But I relied most heavily on my two best friends:

<sup>1</sup> cf. Kevin Kline's explanation of his life as a fireman in *The January Man*: "Building's on fire, everybody runs out, you run in. It's a maniac's job."

<sup>2</sup> ...the 1949 Howard Hawks original, not the John Carpenter remake.

› **Paul Shakespear** spent many hours—hours when he could have been painting—reading drafts that barely made sense, things I could never have shown to anyone else, and telling me what to complete and what to throw overboard. The ensuing discussions were much more interesting than this book, as is always the case with Paul.

› **Richard Gingras** knows more about online publishing and creating a positive user experience than anyone I know. His reaction to my first chapter was what enabled me to go on, as his friendship has made many things in my life possible. I finished writing this book while staying with Richard, his wife, **Mitzi Trumbo**, their daughter, **Molly**, and Mitzi's wonderful mother, **Cleo**, as I do whenever I'm working in Silicon Valley—my "other family," as my wife says. Their companionship means more to me than I can say here.

Many other people were generous enough to take time they didn't really have to read and comment on various drafts: **Sue Hay**, **Hilary Goodall**, **Peggy Redpath**, **Jennifer Fleming**, **Lou Rosenfeld**, **Robert Raines**, **Richard Saul Wurman**, **Jeff Veen**, **Donna Slote**, **Matt Stark**, **Christine Bauer**, **Bob Gower**, **Dan Roam**, **Peter Stoermer**, and **John Kenrick**. As is always the case with user testing, their reactions and suggestions improved the end result enormously.

In addition to reading drafts, **Cleo Huggins**—one of the finest designers I know, and one of the most pleasant and interesting people—made an outlandishly generous offer of help when I needed it most.

**Gail Blumberg** was my problem-solving "lifeline" through this whole process, steering me safely through every situation that required finesse or any sense of politics and making me laugh while she did it. At this point, I owe her so many dinners for so many favors that I think I have to buy her a restaurant.

My next-door neighbor, graphic designer **Courtney McGlynn**—who has cheerfully played the role of "average user" on short notice over the years whenever I've needed to do a quick user test—helped me think through some vexing design issues.



## Mentors

Dave Flanagan, John Kirsch, and Jon Hirschtick taught me by their example that hard-nosed business and extraordinary decency are not incompatible, which enabled me to be comfortable working as a consultant. John also dragged me kicking and screaming into professional adulthood at no small personal expense, standing by patiently while I learned to write something longer than a page—a gift I can never repay. Pete Johnson improved this book enormously without even looking at it—just by showing me by his example over the years what really good writing is.

## Clients, co-workers, clients-turned-friends, and co-workers-turned-friends

Much of what I know about Web usability came from working with many smart, talented people like Arwyn Bryant, Jim Albrecht, John Lennon, John Goecke, Jim Kent, Bill McCall, Dan Roam, James Caldwell, John Lyle Sanford, Lucie Soublin, Peter Karnig, and Theo Fels.

## Family

My brother Phil Krug has been there for me all my life, not counting the early years of holding me down and tickling me.

My son Harry was enormously patient while I was writing this, even when it meant turning down the sound on his computer while he played *Midtown Madness*. Lately, he's assumed the role of nine-year-old press agent, taking the manuscript along on a visit to our local Barnes & Noble to see how it would look on the shelf, creating a cover for it when we needed one, and declaring it a good read.

Harry's cover



My wife Melanie Sokol has told me for a long time now that I'd better not say anywhere in the book that she was supportive. The truth is, she was incredibly supportive during the four months the book was *supposed* to take, and even during the next four months. And it wasn't even the third four months that did it; it was little things, like the fact that I apparently had no idea when—if ever—I would be finished. She knows how grateful I am.

## Other

Flo and the crew at Brueggers' Bagel Bakery in West Roxbury never made me feel like a nuisance in all the mornings I occupied a table for hours on end, nursing a cup of coffee, scrawling on countless pieces of paper, and staring off into space.

Being a bear of little brain, I know I've overlooked someone; probably you. Hopefully, by the time you read this, your T-shirt will be in the mail.



# Index

## INDEX

\$25,000 Pyramid, 36

### A

Amazon.com  
  searching, 17  
  use of tabs, 81

Animal, vegetable, or mineral?, 41  
average user, myth of the, 136

### B

*Beat the Clock*, 97  
Breadcrumbs, 75  
browse-dominant users, 55  
browsing, 55, 57  
Burma-Shave, 31

### C

clickability, 14, 37  
Collyer, Bud, 97  
conventions, 34, 60  
culture clash, 135

### D-E

designing  
  Home page, 97  
  navigation, 51  
*Elements of Style, The*, 45  
expert usability review, 3

### F

"Farmer and the Cowman  
  Should Be Friends, The," 130  
focus groups, 140, 141  
forms, 63

### G

Gates, Bill  
  muddling through, 27  
  purchase of da Vinci notebook, 79  
global navigation. *See* persistent navigation  
golden goose, temptation to kill, 117

### H

Hansel and Gretel, 76  
happy talk, eliminating, 46  
Hatch, Sen. Orrin, 37  
head slappers, 170, 180  
hierarchy, 97  
  wide vs. deep, 41  
Home page  
  designing, 97  
  different navigation on, 109  
  link to, 66



**I-K**

instructions, eliminating, 46  
 “kayak” problems, 181  
 Klein, Gary, 24, 187  
 Krug’s laws of usability, 11, 41, 45

**L**

logo. *See* Site ID  
 lost-our-lease usability testing, 143, 144

**M**

mindless choices, 41  
 mission statement, 104  
 muddling through, 26

**N**

names, importance of, 14  
 NASCAR effect, 119  
 navigation  
   conventions, 60  
   designing, 51  
   lower-level, 70  
   persistent, 62  
   revealing content, 59  
 needless words, omitting, 45  
 new feature requests, 180  
 Nielsen, Jakob, 54, 143, 184  
 noise. *See* visual noise

**P-Q**

page name  
   importance of, 71  
   matching what user clicked, 73  
   position on page, 72  
 persistent navigation, 62  
 primary navigation. *See* Sections  
*Prince and the Pauper, The*, 26  
 Prince, George M., 184  
 promos  
   advantage of rotating, 116  
   content promos, 98  
   feature promos, 98  
 pulldown menus, limitations of, 115

**R**

registration, 98  
 reinventing the wheel, 36  
 religious debates, 132, 137  
 “right” way to design Web sites, 7  
 rollovers, limitations of, 112  
 Rosenfeld, Louis, 67, 183  
 Rubin, Jeffrey, 155, 184

**S**

satisficing, 24  
 scanning pages, 22

search box, 38, 67  
   on Home page, 97  
   options, 68  
   wording, 68  
 search-dominant users, 54  
 secondary navigation. *See* subsections  
 section fronts, 46  
 Sections, 65  
 Site ID, 63  
 slow-loading pages, 59  
 Spool, Jared, 7  
 street signs, 72  
 subsections, 65  
 Synectics, 184

**T**

tabs, 79  
   color coding, 85  
   importance of drawing correctly, 82  
 tagline, 103, 105–108  
 Talking Heads, 51  
 teleportation, 58, 63  
 Tognazzini, Bruce, 143  
 Tomalak’s Realm, 185  
 tragedy of the commons, 118  
 trunk test, 87

**U**

Underhill, Paco, 183  
 URLs, typed in search box, 27  
 usability, defined, 5  
 usability lab, 152  
 usability testing, 3, 139  
   number of users to test, 146  
   how to facilitate, 155  
   how to observe, 151, 171  
   recruiting participants, 147, 149  
   reviewing results, 175  
   sample report, 173  
   sample session, 158  
   value of starting early, 142  
   what to test, 151, 152  
 Utilities, 65

**V-Z**

visual hierarchy, 31  
   parsing, 33  
 visual noise, 38  
 Welcome blurb, 103  
 White, E. B., 45  
 Yahoo, 27  
 “You are here” indicator, 27



This book was produced digitally using Microsoft Word, Adobe Photoshop, and Adobe Illustrator. Layout and production were accomplished using QuarkXPress. Files were passed among all parties concerned and were proofed using Adobe Acrobat. The text face is FF Scala, designed by Martin Majoor. The chapter titles and paragraph headings were set in MetaPlus, designed by Erik Spiekermann. All captions were set in FF Letter Gothic Text, designed by Albert Pinggera.

Prepress consisted of computer-to-plate technology by GAC Indianapolis, Indiana. The book was printed by GAC on 70# Citation Matte paper. The cover was printed on 12 pt. paper with a matte layflat film.

#### STEVE KRUG

is a little-known but highly respected usability consultant who has worked quietly for years for companies like Apple, Netscape, AOL, BarnesandNoble.com, Excite@Home, and Circle.com. His book, written with liberal doses of wit and "advanced common sense," is the product of more than ten years experience as a user advocate.



#### ROGER BLACK

is the ubiquitous media maven who, as an art director, visually defined *Rolling Stone* and *Newsweek*. As chairman of Interactive Bureau and now as chief creative officer of Circle.com he defines Web sites such as drugstore.com, MSNBC, Univision, and future sites which will become permanent bookmarks in our browsers.



photo: Erik Butler

#### ABOUT THE CIRCLE.COM LIBRARY

**T**HIS SERIES OF BOOKS, AFFECTIONATELY known as the *Black Books*, provide insight into successful online design, branding and identity, navigation, content strategy and development, Web usability, and e-commerce solutions. These books harvest the benefits of Circle's position as a leading provider of customer relationship management solutions.